



International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijirccce.com

Vol. 6, Issue 11, November 2018

Review on Design and Implementation of Clinical Document Architecture for Health Information Exchange based on Cloud Computing

Sharyu C. Kale, Prof. Mahip M. Bartere, Dr. H. R. Deshmukh

Department of Computer Science and Engineering, G. H. Raisoni Amravati, India¹

ABSTRACT: Fruitful arrangement of Electronic Health Record enhances quiet security and nature of consideration, however it has the essential of interoperability between Health Information Exchange at various doctor's facilities. The Clinical Document Architecture developed by Health Level-7 is Clinical Document Architecture Release 2 was approved by American Nation Standards Institute in May 2005. Sadly, healing facilities are hesitant to embrace interoperable Health Information System because of its sending cost aside from in a modest bunch nations. An issue emerges notwithstanding when more healing facilities begin utilizing the CDA report group in light of the fact that the information scattered in various records are difficult to oversee. In this proposed system, record generation and coordination Open API administration based on distributed computing, through which doctor's facilities are empowered to advantageously create CDA records without purchasing exclusive programming. It will generate report mix framework incorporates various CDA archives per tolerant into a solitary CDA report and doctors and patients can scan the clinical information in sequential request. Our arrangement of CDA record era what's more, combination depends on distributed computing and the administration is offered in Open API. Engineers utilizing diverse stages along these lines can utilize our framework to improve interoperability.

I. INTRODUCTION

Wellbeing Record is gathering of electronic wellbeing data for and about people, where wellbeing data is characterized as data relating to the soundness of an individual or human services gave to an individual and it can support of effective procedures for social insurance conveyance [1]. The greater part of the HIS in administration have diverse attributes and are commonly contradictory [3], [4]. Henceforth, successful wellbeing data trade should be institutionalized for interoperable wellbeing data trade between doctor's facilities. Particularly, clinical record institutionalization lies at the center of ensuring interoperability. Wellbeing Level Seven has set up CDA as a noteworthy standard for clinical records [5]. CDA is an archive markup standard that determines the structure and semantics of 'clinical records' with the end goal of trade. The main variant of CDA was produced in 2001 and Release 2 turned out in 2005 [6]. Numerous tasks embracing CDA have been effectively finished in numerous nations [7], [8], [9]. Dynamic works are being done on enhancing semantic interoperability dependent on open EHR To build up trust in HIE interoperability, more HIS's have to help CDA. Be that as it may, the structure of CDA is exceptionally unpredictable and the generation of right CDA report is difficult to accomplish without profound comprehension of the CDA standard and adequate involvement with it. Furthermore, the HIS improvement stages for healing facilities shift so extraordinarily that age of CDA reports in every clinic perpetually requires a different CDA age framework. Likewise, healing centers are extremely hesitant to receive another framework except if it is totally fundamental for arrangement of consideration. Thus, the appropriation rate of EHR is low with the exception of in a couple of bunch nations, for example, New Zealand or Australia [12]. In the USA, the administration executed a motivation program called the Meaningful Use Program to advance EHR selection among healing facilities When a patient is analyzed at a center, a CDA archive recording the determination is produced. The CDA archive can be imparted to different centers if the patient concurs. The idea of family specialist does not exist in Korea, henceforth usually for a patient to visit various diverse facilities. The trading of CDA record is activated in the accompanying cases: when a doctor needs to think about a patient's medicinal history; when referral



International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijirccce.com

Vol. 6, Issue 11, November 2018

and answer letters are drafted for a patient minded by various centers; when a patient is in crisis and the restorative history should be audited. It requires expanding measure of investment for the medicinal work force as the measure of traded CDA report increments since more records implies that information are appropriated in various archives. This altogether postpones the medicinal staff in deciding. Subsequently, when the majority of the CDA records are incorporated into a solitary archive, the medicinal faculty is engaged to audit the patient's clinical history helpfully in sequential request.

II. LITERATURE SURVEY

S. Lee et.al. [15] Numerous Clinical Document Architecture (CDA) referrals and answer records have been collected for patients since the arrangement of the Health Information Exchange System (HIES) in Korea. Clinical information were scattered in numerous CDA archives and this set aside an excess of time for doctors to peruse. Doctors in Korea invest just constrained energy per tolerant as protections in Korea pursue an expense for-benefit demonstrate. In this manner, doctors were not permitted adequate time for settling on restorative choices, and follow-up consideration benefit was obstructed. To address this, we created CDA Integration Template (CIT) and CDA Integration System (CIS) for the HIES. The clinical things incorporated into CIT were characterized mirroring the Korean Standard for CDA Referral and Reply Letters and demands by doctors.

Dolin et.al.[16] CDA R2, being the second arrival of a standardizing ANSI-endorsed HL7 particular, speaks to a steady stage for the trading of clinical reports. The basic plan limits the specialized boundaries to selection while giving a movement pathway toward logically more extravagant PC processable substance. CDA R2 offers a rich semantic model, and it is foreseen that a superior comprehension of the yield of a clinician collaboration with an electronic wellbeing record will prompt new thoughts in UI plan CDA R2 give a lavishness of articulation that may surpass the abilities of a portion of the present electronic wellbeing record applications.

Robert H. [17] The CDA document standards from HL7 take us a major step forward by standardizing the contents of health records. Standards for data representation will progressively enable two different computer Applications to speak the same language and thereby hold an intelligent conversation, where each application correctly interprets the utterings of the other. The HL7 Clinical Document Architecture (CDA) is a document markup standard that specifies the structure of exchanged clinical documents. A CDA document is a defined and complete information object that can include text, images, sounds, and other multimedia content, and that can be transported within an HL7 message.

DESCRIPTION OF THE PROPOSED WORK

CDA archive age framework that creates CDA records on various creating stages and a CDA report coordination framework that incorporates numerous CDA archives scattered in various healing centers for every patient. To start with, the framework is available through an Open API and designers can keep chipping away at their engineer stages they work in, for example, Java. Healing center frameworks can essentially expand their current framework instead of totally supplanting it with another framework. Second, it ends up pointless for clinics to prepare their work force to create, coordinate, and view standard-consistent CDA records. The cloud CDA age benefit produces records in the CDA organize endorsed by the National Institute of Standards and Technology.

III. MODULES

1. CDA generator Module
2. CDA validator Module
3. Template manager Module

International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijircce.com

Vol. 6, Issue 11, November 2018

IV. SYSTEM DESIGN




Fig. 1.CDA generation system.

Fig. 1 indicates plan of CDA. Healing facility An and Hospital B are shown to demonstrate that it is anything but difficult to produce CDA reports on an assortment of stages.




Fig. 2. CDA integration system



International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijircce.com

Vol. 6, Issue 11, November 2018

Fig. 2 shows one in CDA Document Integration System. Chronic patients especially are very likely to have been consulted by multiple physicians in different hospitals. In this case, CDA documents may be scattered in different locations. Therefore, multiple CDA how multiple CDA documents are integrated into documents needs to be integrated into single CDA document. which converts each input CDA document to JSON.

V. CONCLUSION

Interoperability between clinics not just enhances quiet wellbeing and nature of consideration yet additionally lessen time and assets spent on information arrange transformation. Healing facilities don't need to Buy appropriateness programming to create and coordinate CDA archives.

REFERENCES

- [1] Y. Kwak, "International standards for building electronic health record (ehr)," in Proc. Enterprise Netw. Comput. Healthcare Ind., pp. 18–23, Jun. 2005.
- [2] M. Eichelberg, T. Aden, J. Riesmeier, A. Dogac, and Laleci, "A survey and analysis of electronic healthcare record standards," ACM Comput. Surv., vol. 37, no. 4, pp. 277–315, 2005.
- [3] T. Benson, Principles of Health Interoperability HL7 and SNOMED. New York, NY, USA: Springer, 2009.
- [4] J. L. Hänteenmäki, J. Leppänen, and H. Kaijanranta, "Interoperability of personal health records," in Proc. IEEE 31st Annu. Int. Conf. Eng. Med. Biol. Soc., pp. 1726–1729, 2009.
- [5] R. H. Dolin, L. Alschuler, C. Beebe, P. V. Biron, S. L. Boyer, D. Essin, E. Kimber, T. Lincoln, and J. E. Mattison, "The HL7 Clinical Document Architecture," J. Am. Med. Inform. Assoc., vol. 8, pp. 552–569, 2001.
- [6] R. H. Dolin, L. Alschuler, S. Boyer, C. Beebe, F. M. Behlen, P. V. Biron, and A. Shabo, "The HL7 Clinical Document Architecture," J. Am. Med. Inform. Assoc., vol. 13, no. 1, pp. 30–39, 2006.
- [7] M. L. Müller, F. Ückert, and T. Bürkle, "Cross-institutional data exchange using the clinical document architecture (CDA)," Int. J. Med. Inform., vol. 74, pp. 245–256, 2005.
- [8] H. Yong, G. Jinqiu, and Y. Ohta, "A prototype model using clinical document architecture (cda) with a japanese local standard: designing and implementing a referral letter system," Acta Med Okayama, vol. 62, pp. 15–20, 2008.
- [9] K. Huang, S. Hsieh, Y. Chang, F. Lai, S. Hsieh, and H. Lee, "Application of portable cda for secure clinical-document exchange," J. Med. Syst., vol. 34, no. 4, pp. 531–539, 2010.
- [10] Gorp, P. V., Comuzzi, M., Fialho, A., & Kaymak, U. (2012). Addressing health information privacy with a novel cloud-based PHR system architecture. 2012 IEEE International Conference on Systems, Man, and Cybernetics (SMC). doi:10.1109/icsmc.2012.6378006
- [11] Narayanan, H. A. J., & Gunes, M. H. (2011). Ensuring access control in cloud provisioned healthcare systems. 2011 IEEE Consumer Communications and Networking Conference (CCNC). doi:10.1109/ccnc.2011.5766466
- [12] Paterson, G. I., Shepherd, M., Xiaoli Wang, Watters, C., & Zitner, D. (n.d.). Using the XML-based Clinical Document Architecture for exchange of structured discharge summaries. Proceedings of the 35th Annual Hawaii International Conference on System Sciences. doi:10.1109/hicss.2002.994069
- [13] Lee, S.-H., Song, J. H., & Kim, I. K. (2016). CDA Generation and Integration for Health Information Exchange Based on Cloud Computing System. IEEE Transactions on Services Computing, 9(2), 241–249. doi:10.1109/tsc.2014.2363654
- [14] M. Armbrust, A. Fox, R. Griffith, A. D. Joseph, R. Katz, A. Konwinski, G. Lee, D. Patterson, A. Rabkin, I. Stoica, and M. Zaharia
- [15] S. Lee, J. Song, and I. Kim, proposed clinical document architecture integration system to support patient referral and reply letters
- [16] Dolin, R. H., Alschuler, L., Boyer, S., Beebe, C., Behlen, F. M., Biron, P. V., & Shabo (Shvo), A. (2006). HL7 Clinical Document Architecture, Release 2. Journal of the American Medical Informatics Association, 13(1), 30–39. doi:10.1197/jamia.m1888
- [17] Robert H. Dolin, Liora Alschuler, Sandy Boyer, Calvin Beebe. "An Update on HL7's XML-based Document Representation Standards", Proc. of the AMIA 2000 Annual Symposium November 4-8, 2000, Los Angeles, California.
- [18] K. Ashish, "Meaningful use of electronic health records the road ahead," JAMA, vol. 304, no. 10, pp. 1709–1710, 2010