

e-ISSN: 2320-9801 | p-ISSN: 2320-9798



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

Volume 10, Issue 6, June 2022



Impact Factor: 8.165





| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 6, June 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1006136|

Online Voting System using blockchain Technology

Amit Golande, Vijay Shinde, Siddharth Nade, Abhishek Gaikwad, Prof. B. Shinde

Department of Computer Engineering, Shree Ramchandra College of Engineering, Lonikand, Pune, India

ABSTRACT: India is the world's biggest vote-based system with a populace of more than 10 million; Casting a ballot is the extension between the represented and government. The most recent couple of years have welcomed a reestablished center around to the innovation utilized in the democratic cycle. The current democratic framework has numerous security openings, and it is hard to demonstrate even basic security properties about them. A democratic framework that can be demonstrated right has numerous worries. There are a few explanations behind an administration to utilize electronic frameworks are to expand decisions exercises and to lessen the races costs. Still there is some extent of work in electronic democratic framework in light of the fact that it is extremely unlikely of distinguishing proof by the electronic democratic framework if the user is credible and getting electronic democratic machine from reprobates. The proposed framework is to build up a viable democratic machine with high security by utilizing Block-chain innovation to expand security and straight forwardness between the users.

KEYWORDS: Block chain, Data Security, Voting System, Voter ID, Vote.

I. INTRODUCTION

Voting, whether traditional ballet based or electronic voting (e-voting), is what modern democracies are built upon [5] [8]. In recent years' voter apathy has been increasing, especially among the younger computer/tech savvy generation. E-voting is pushed as a potential solution to attract young voters. For a robust e-voting scheme, a number of functional and security requirements are specified including transparency, accuracy, auditability, system and data integrity, secrecy/privacy, availability, and distribution of authority[2]. Block-chain technology is supported by a distributed network consisting of a large number of interconnected nodes. Each of these nodes have their own copy of the distributed ledger that contains the full history of all transactions the network has processed. There is no single authority that controls the network [12][14]. If the majority of the nodes agree, they accept a transaction. This network allows users to remain anonymous. A basic analysis of the block-chain technology suggests that it is a suitable basis for e-voting and moreover, it could have the potential to make e-voting more acceptable and reliable[4].

II. RELATED WORK

This paper [1], proposed secure voting system with fast voting results through RFID based biometric voting system. In this paper, there are two verification steps involved. First, RFID tag is used which contains the verification data which is already stored in LPC 2148. Second, the Fingerprint scanner is used to check whether the RFID is belonging that particular person or not. The drawback of this paper is cost maximized due to use of RFID method.

The proposed method [3] is to build a Smart voting system using fingerprint recognition technology that allows any voter in INDIA to cast the vote to their respective constituency from anywhere in INDIA by going to their nearest voting booth in the place of stay. Also to develop a secure smart voting system based on biometric recognition. Provides the voter to vote from any region with in India to their Residential Constituency from the nearest Voting Booth with a secure voting process without neglecting to vote.

This paper [4], proposes protected voting system to avoid the unlawful voting. The authentication of an individual is made using biometric and capability of the voter is affirmed using the Aadhaar. In this system the data stored in the Aadhaar card act main criteria for authentication and conformation. The security is provided through biometrics such as



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 6, June 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1006136|

fingerprint. The fingerprint information stored in the Aadhaar is taken as the reference and used for authentication at the time of voting.

Basic electronic machine [5] which is used nowadays has some laggings like multiple vote casting from one member and invalidity of votes are checked automatically. To reduce these disadvantages, the smart automatically processed and fingerprints are used to reduce multiple vote casting in simple way.

This paper [6] has shown the possibility of establishing E-Voting protocol based on public-key encryption cryptosystem. The security of the proposed E-Voting depends on RSA public key encryption protocol. It allows the voter to vote from his/her own personal computer (PC) without any extra cost and effort. This protocol is proposed to replace the unreliable previous voting system, since voters feel justifiably confident that their votes will be counted.

This system [7] provides security from all type of attacks, when vote is travelling from voting client to voting server from their experimentation. These attacks include security threats from passive as well as active intruder. For authentication of voter instead of USERNAME, if we can use thumb impression of voter or capture photo of his/her face and compare it with photo stored in our database, it will be more secure.

In this paper [8], a block-chain-based voting system. It needs time to popularize block-chain for a voting system as it is a novel idea and voting itself is a crucial matter in a democratic country.

The proposed [9] model is more secure than other models and it is suitable for use in major elections on a large scale. After casting a vote with NCVVS system, the voter receives a confirmation email containing the ballot fingerprint (and also the fingerprint of the election) calculated by standard hash function SHA (256) [46].

The proposed work [10] is based on the block-chain technology, which remove all the threats from the communication link. It is a decentralized system, contain hashing and encryption concept for providing the security.

In this paper [2], used of Aadhaar card provided by UIDAI with QR code present in it. Online instead of offline mode and storing the voting data to secured online server. Results can be displayed by admin after entering user id and password.

Blockchain [11] is offering new freedoms to grow new kinds of computerized administrations. While research on the theme is as yet arising, it has for the most part centered on the specialized and legitimate issues as opposed to exploiting this novel idea and making progressed computerized administrations. In this paper, author will use the open source Blockchain innovation to propose a plan for another electronic democratic framework that could be utilized in nearby or public decisions. The Blockchain-based framework will be secure, solid, and mysterious, and will help increment the quantity of electors just as the trust of individuals in their administrations.

In this article [12], author propose the principal self-counting decentralized e-casting a ballot convention for a positioned decision casting a ballot framework based on Borda check. This convention needn't bother with any confided in arrangement or counting power to process the count. The citizens communicate through an openly open notice board for executing the convention in a way that is openly irrefutable. Our fundamental convention comprises of two adjusts. In the first round, the electors distribute their public keys, what's more, in the second round they distribute their randomized polling forms. All citizens give Non-intelligent Zero-Knowledge (NIZK) verifications to show that they have been following the convention determination sincerely without uncovering their mysterious votes. Toward the finish of the political race, anybody including an outsider spectator will actually want to register the count without requiring any counting authority. This system give security verifications to show that our convention ensures the most extreme security for every citizen.



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 6, June 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1006136|

Author [13] propose a functional stage free secure and obvious democratic framework that can be sent on any blockchain that bolsters an execution of a savvy contract. Undeniable nature is intrinsically given by the fundamental blockchain stage, though cryptographic procedures like Paillier encryption, confirmation of-information, and linkable ring mark are utilized to give a structure to framework security and client protection that are free from the security and protection highlights of the blockchain stage. We break down the accuracy and intimidation obstruction of our proposed casting a ballot framework. We utilize Hyperledger Fabric to convey our democratic framework and break down the exhibition of our conveyed conspire mathematically.

Author present [14] the first implementation of a decentralised and self-tallying internet voting protocol with maximum voter privacy using the Blockchain. The Open Vote Network is suitable for boardroom elections and is written as a smart contract for Ethereum. Unlike previously proposed Blockchain e-voting protocols, this is the first implementation that does not rely on any trusted authority to compute the tally or to protect the voter's privacy. Instead, the Open Vote Network is a selftallying protocol, and each voter is in control of the privacy of their own vote such that it can only be breached by a full collusion involving all other voters.

Political violence [15] related to elections has been common in Africa and other developing countries. BEV can ensure security and transparency and reduce electoral violence. It can also produce more mathematically accurate election results. Because BEV doesn't require management from a central authority, votingrelated costs will decrease. Finally, BEV should reduce the cost of paperbased elections and increase voter participation.

III. EXISTING APPROACH

A lot of work has been done in this field thanks to its extensive use and applications. This section mentions some of the approaches that have been implemented to achieve the same purpose. These works are mainly differentiated from the algorithm for E-voting systems.

The existing machine had security risks that can potentially undermine the election process. In addition to human error; internet e-voting is susceptible to a range of threats such as hacking by domestic and foreign saboteurs, technical glitches, voter impersonation and even system failure.

IV. PROPOSED APPROACH

In our system Block Chain Concepts are applied to Online Voting System when we are developing a Smart E-voting system by taking advantage of block Chain concepts with web interface.

A. Flow Diagram




Fig.1: Block diagram of e-voting system



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 6, June 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1006136|

B. Algorithm

1. AES Algorithm for Encryption.

AES (advanced encryption standard). It is symmetric algorithm. It used to convert plain text into cipher text. The need for coming with this algo is weakness in DES. The 56 bit key of des is no longer safe against attacks based on exhaustive key searches and 64-bit block also consider asweak. AES was to be used 128-bit block with 128-bit keys.

Rijendeal was founder. In this drop we are using it to encrypt the data owner file.

Input:

128_bit /192 bit/256 bit input (0, 1)

Secret key (128_bit) +plain text (128_bit).

Process:

10/12/14-rounds for-128_bit /192 bit/256 bit input

Xor state block (i/p) Final round:10,12,14

Each round consists: sub byte, shift byte, mix columns, add round key.

Output:

Cipher text (128 bit)

C. System Architecture




Fig.2: System architecture of e-voting system

V. RESULTS AND DISCUSSION

Experiments are done by a personal computer with a configuration: Intel (R) Core (TM) i3-2120 CPU @ 3.30GHz, 4GB memory, Windows 7, MySQL 5.1 backend database and Jdk 1.8. The application is web application used tool for design code in Eclipse and execute on Tomcat server.



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 6, June 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1006136|

Overall system execution graph




Figure 3: overall system execution graph

Table 1: overall system execution table

Existing System (2018)	Proposed System
1236	932

VI. CONCLUSION

This paper described, an electronic Voting system for small to medium sized Internet-based public opinion systems that provides privacy of vote, voter's authentication, auditability, security, double-voting prevention, fairness voting device from manipulating the authenticated voters voting choices.

ACKNOWLEDGMENT

Express my true sense of gratitude, sincere and sincere gratitude to my guide to the project Prof. ShrikantNagure sir for his precious collaboration and guidance that he gave me during my research, to inspire me and provide me with all the laboratory facilities, This it allowed me to carry out this research work in a very simple and practical way. I would also like to express my thanks and thanks to our coordinator, Prof. ShrikantNagure, HOD. Prof. VinaLomte and Principle Dr. Dixit and all my friends who, knowingly or unknowingly, helped me during my hard work.

REFERENCES

- [1] J.Deepika, S.Kalaiselvi, S.Mahalakshmi, S.AgnesShifani, "Smart Electronic Voting System Based On Biometric Identification-Survey", International Conference on Science Technology Engineering Management (ICONSTEM).
- [2] Ravindra Mishra, ShildarshiBagde, TusharSukhdeve, J. Shelke, "Review on Aadhaar Based Voting System using Biometric Scanner", International Research Journal of Engineering and Technology(IRJET).
- [3] Girish H S, Gowtham R, Harsha K N, Manjunatha B, "Smart Voting System", International Research Journal of Engineering and Technology (IRJET).
- [4] K. Lakshmi, R. Karthikamani, N. Divya "Aadhar Card based smart e-voting system", International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 8958, Volume-8, Issue-2S, December 2018.
- [5] G.Saranya, R.Mahalakshmi, J.Ramprabu, "Smart Electronic Voting Machine surveillance", International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 8958, Volume-8, Issue- 2S, December 2018.



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 6, June 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1006136|

- [6] Ashish Singh, KakaliChatterjee, SecEVS: Secure Electronic Voting System Using Blockchain Technology, International Conference on Computing, Power and Communication Technologies (GUCON) Galgotias University, Greater Noida, UP, India. Sep 28-29, 2018.
- [7] CosmasKrisnaAdiputra, RikardHjort, and Hiroyuki Sato, A Proposal of Blockchain-based Electronic Voting System, Second World Conference on Smart Trends in Systems, Security and Sustainability.
- [8] Jena Catherine Bel.D, Savithra.K, Divya.M, A Secure Approach for E-Voting Using Encryption and Digital Signature, International Journal of Engineering Development and Research.
- [9] Abhijit J. Patankar, KotrappaSirbi, Kshama V. Kulhalli, "Preservation of Privacy using Multidimensional K-Anonymity Method for Non-Relational Data", International Journal of Recent Technology and Engineering (IJRTE) ISSN: 2277-3878, Volume-8 Issue-2S10, September 2019.
- [10] Ashraf Darwish and Maged M El-Gendy, A New Cryptographic Voting Verifiable Scheme for E-Voting System Based on Bit Commitment and Blind Signature, International Journal of Swarm Intelligence and Evolutionary Computation.
- [11] A.B. Ayed, "A conceptual secure blockchain-based electronic voting system," Int. J. Netw. Secur., vol. 9, no. 3, pp. 01-09, May. 2017.
- [12] S. Panja, S. Bag, F. Hao and B. Roy, "A Smart Contract System for Decentralized Borda Count Voting," IEEE Trans. on Eng. Manag., DOI: 10.1109/TEM.2020.2986371, 2020.
- [13] Yu, J.K. Liu, A. Sakzad, S. Nepal, R. Steinfeld, P. Rimba, and M.H. Au, "Platform-Independent Secure Blockchain-Based VotingSystem," in ISC, Guildford, UK, Sept. 2018, pp. 369-386.
- [14] P. McCorry, S.F. Shahandashti, and F. Hao, "A smart contract forboardroom voting with maximum voter privacy," in FC, Sliema, Malta, Apr. 2017, pp. 357-375.
- [15] N. Kshetri and J. Voas, "Blockchain-enabled e-voting," IEEE Softw., vol. 35, no. 4, pp. 95-99, Jul. 2018.













INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING







📵 9940 572 462 🔯 6381 907 438 🔀 ijircce@gmail.com

