



IJIRCCCE

e-ISSN: 2320-9801 | p-ISSN: 2320-9798



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

Volume 9, Issue 4, April 2021

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 7.488

 9940 572 462

 6381 907 438

 ijircce@gmail.com

 www.ijircce.com

Diamond Features Extraction & Grading System Using Machine Learning Approach

Narvekar Aishwarya¹, Prachi Arora², Manchare Swapnil³, Prof.O.S.Dubal⁴

B. E Students, Department of Information Technology, Smt.Kashibai Navale college of Engineering, Pune, India^{1,2,3}

Professor, Department of Information Technology, Smt.Kashibai Navale college of Engineering, Pune, India⁴

ABSTRACT: Diamonds for the most part should be cut with correct shape and extent before they can indicate dazzling appearance. Precious stones ought to be dull on the off chance that they are solidified from unadulterated carbon molecules. At present, jewels are regularly estimated and evaluated by experienced graders with some extraordinary devices like amplifying glasses, standard ace stones, colorimeters, ideal scopes, and so forth. Nonetheless, manual estimation and evaluating has various disadvantages, for example, restricted exactness, subjectivity, poor view of respectability, low proficiency and mind-boggling expense. Therefore, to develop an integrated auto-measuring system for diamond grading is becoming a challenging research topic. Therefore, to develop an integrated auto-measuring system for diamond grading is becoming a challenging research topic. This system presents methodology for diamond quality grading based on color of diamond, texture of a diamond and clarity. In order to get accurate diamond images, a special hardware source is employed. Quality assessment done through three important feature extraction of the diamond like color, texture and clarity. Then extracted features are passed to the classifier for grading. On the basis of grading quality of a diamond will be determine.

KEYWORDS: Image Processing; Convolutional neural network;Pre-processing; Machine learning; Classification

I. INTRODUCTION

Normal precious stones for the most part should be cut with correct shape and extent before they can demonstrate shining appearance. Jewels ought to be boring on the o chance that they are solidied from unadulterated carbon particles. On account of a little measure of Nitrogen in most regular precious stones, jewels regularly demonstrate different shades of yellow shading. Since common precious stones regularly demonstrate distinctive shading, different considerations or then again surrenders, and characteristic cutting mistakes, they should be re viewed. Other than carat reviewing, jewel evaluating incorporates shading re viewing, clearness evaluating, and cut evaluating. At present, jewels are regularly estimated and evaluated by experienced graders with some extraordinary devices like amplifying glasses, standard ace stones, colorimeters, ideal scopes, and so forth. Nonetheless, manual estimation and evaluating has various disadvantages, for example, restricted exactness, subjectivity, poor view of respectability, low proficiency and mind-boggling expense. Particularly, after ceaselessly laboring for 60 minutes, the graders eyes regularly progress toward becoming extremely worn out, and wronged value acting can be made effortlessly. Therefore, to develop an in teg rated auto-measuring system for diamond grading is becoming a challenging research topic. Proposed system works on diamond quality grading based on color of diamond, texture of a diamond and clarity. In order to get accurate diamond images, a special hardware source is employed. Quality assessment done through three important feature extraction of the diamond like color, texture and clarity. Then extracted features are passed to the classier for grading on the basis of grading quality of a diamond will be determine.



Fig 1– Diamond color grading

II. LITERATURE SURVEY

[1] Diamond Color Grading Based on Machine Vision [1] this paper shows a powerful strategy for precious stone shading reviewing dependent on machine vision. So as to gain attractive precious stone pictures, an uncommon light source dependent on a coordinating circle is utilized. Subsequent to repaying the variance of the light source, the compositive shading highlights, including free and joint circulation highlights of Hue and Saturation, are extricated in portioned uniform areas. At that point, contingent upon a prepared BP Neural Network, jewels can be evaluated by shading. Perceptual Correction for Color Grading of Random Textures

[2] Correction for color grading of random textures, Machine Vision and Applications [2]This paper presents a technique for shading shade evaluating for mechanical investigation of irregular. Surfaces, the differences of which are at the edge of human observation. This strategy utilizes picture rebuilding strategies to recoup an unblurred form of the picture, and after that obscures it indistinguishable path from the human visual framework does, to copy the procedure of the picture being caught by the human sensor. In this way, the shading picture is changed into a perceptually uniform shading space, where shading evaluating happens

[3] A Threshold Selection Method from Grey-Level Histograms [3] A nonparametric and unsupervised technique for programmed limit determination for picture division is exhibited. An ideal limit is chosen by the discriminant rule, to be specific, in order to boost the detachability of the resultant classes in dim dimensions. The technique is exceptionally straightforward, using just the zeroth-and the main request aggregate snapshots of the dark dimension histogram. It is clear to stretch out the technique to multi threshold issues. A few exploratory outcomes are additionally exhibited to help the legitimacy of the technique.

[4] Performance analysis of a Colorimeter designed with RGB color sensor [4]This paper shows a viable technique for jewel shading evaluating dependent on machine vision. So as to secure palatable precious stone pictures, an exceptional light source dependent on a coordinating circle is utilized. In the wake of remunerating the vacillation of the light source, the focused shading highlights, including autonomous and joint dispersion highlights of Hue and Saturation, are separated in portioned uniform districts. At that point, contingent upon a prepared BP Neural Network, jewels can be evaluated by shading. Examination results demonstrate that the proposed strategy can achieve an acceptable precision to substitute manual reviewing for genuine precious stones. The proposed strategy can likewise be utilized to group different questions by little shading distinction

[5] Development of a Colorimetric sensor for monitoring of fish spoilage amines in packaging headspace [5] A methodological report on essentialness of picture preparing and its applications in the field of PC vision is completed here. Amid a picture preparing Task the information given is a picture and its yield is an upgraded top-notch picture according to the systems utilized. Picture handling normally alluded as advanced picture preparing, yet optical and



simple picture handling likewise are conceivable. Our examination gives a strong prologue to picture handling alongside division strategies, PC vision essentials and its connected applications that will be of worth to the picture preparing and PC vision look into networks.

III. EXISTING SYSTEM

The diamond grading system based on its colour classification has been tested on many diamonds. The results confirm that this study conducted in the paper has established an effective approach for diamond colour grading to replace manual grading.

This system only works on colour grading so 100% quality assessment is not achieved through this.

IV. PROPOSED SYSTEM

Proposed system

Proposed system works on diamond quality grading based on color of diamond, texture of a diamond and clarity. In order to get accurate diamond images, a special hardware source is employed. Quality assessment done through three important feature extraction of the diamond like color, texture and clarity. Then extracted features are passed to the classifier for grading. On the basis of grading quality of a diamond will be determine.

Pre-processing –

In image pre-processing, image/picture information recorded by sensors on a satellite or taken by uncommon equipment limit mistakes identified with geometry and splendor estimations of the pixels. These blunders are amended utilizing suitable scientific models which are either distinct or factual models. Picture upgrade is the alteration of picture by changing the pixel splendor esteems to enhance its visual effect. Picture upgrade is the adjustment of picture by changing the pixel brilliance esteems to enhance its visual effect. Picture upgrade includes an accumulation of procedures that are utilized to enhance the visual appearance of a picture, or to change over the picture to a shape which is more qualified for human or machine elucidation.

Convolutional neural networks - are similar to feed forward neural networks, where the neurons have learn-able weights and biases. Its application has been in signal and image processing which takes over OpenCV in field of computer vision.

in this neural network, the input features are taken in batch wise like a filter. This will help the network to remember the images in parts and can compute the operations. These computations involve conversion of the image from RGB or HSI scale to Gray-scale. Once we have this, the changes in the pixel value will help detecting the edges and images can be classified into different categories.

ConvNet are applied in techniques like signal processing and image classification techniques. Computer vision techniques are dominated by convolutional neural networks because of their accuracy in image classification. The technique of image analysis and recognition, where the agriculture and weather features are extracted from the open source satellites like LSAT to predict the future growth and yield of a particular land are being implemented. In proposed system CNN is used for image classification it includes image dataset belong to six different classes.




Fig 2: Proposed system architecture diagram

V. RESULTS

CNN Steps

- **Step 1: Convolution Operation**

The first building block in our plan of attack is convolution operation. In this step, we will touch on feature detectors, which basically serve as the neural network's filters. We will also discuss feature maps, learning the parameters of such maps, how patterns are detected, the layers of detection, and how the findings are mapped out.

- **Step 1(b): ReLU Layer**

The second part of this step will involve the Rectified Linear Unit or ReLU. We will cover ReLU layers and explore how linearity functions in the context of Convolutional Neural Networks.

Not necessary for understanding CNN's, but there's no harm in a quick lesson to improve your skills.

- **Step 2: Pooling**

In this part, we'll cover pooling and will get to understand exactly how it generally works. Our nexus here, however, will be a specific type of pooling; max pooling. We'll cover various approaches, though, including mean (or sum) pooling. This part will end with a demonstration made using a visual interactive tool that will definitely sort the whole concept out for you.


- **Step 3: Flattening**

This will be a brief breakdown of the flattening process and how we move from pooled to flattened layers when working with Convolutional Neural Networks.

- **Step 4: Full Connection**

In this part, everything that we covered throughout the section will be merged together. By learning this, you'll get to envision a fuller picture of how Convolutional Neural Networks operate and how the "neurons" that are finally produced learn the classification of images.

Training Loss and Accuracy



Algorithm Results: -

Step1: - Take input should be any of the diamond image.

Step2: - The CNN will apply for pre-processing the diamond images and finding the diamond quality as per the user requirements.

Sr. No	Algorithm	Accuracy
1	Neural Network Classifier (CNN)	0.926547856

The above results show the Deep Convolutional Model that can be process the diamond 7 qualities through finding best quality of that diamond and it will generatethe diamond color, texture, and segmented output establishing the neural network classifier.

VI.CONCLUSION AND FUTURE WORK

This system grades diamond quality very effectively with the image processing techniques and deep learning concepts. Quality of assessment is increased as compared to the existing system as all the quality measurements are taken into the consideration while determining grading like texture, color and clarity of a diamond.



REFERENCES

- 1] Diamond Color Grading Based on Machine Vision. ZhiguoRen, Jiarui Liao, LilongCai, *Member, IEEE* Department of Mechanical Engineering, Hong Kong University of Science and Technology.
- 2] Boukouvalas and M. Petrou. Perceptual correction for color grading of random textures. *Machine Vision and Applications*. Volume 12, P. 129-136, 2000.
- 3] N. Otsu. A Threshold Selection Method from Gray-Level Histograms. *IEEE Transactions on Systems, Man, and Cybernetics*. 1976
- 4] R. A. Sivanantha, K. Sankaranarayanan. Performance analysis of a Colorimeter designed with RGB color sensor. *ICIAS 2007, International Conference on Intelligent and Advanced Systems*. P. 305-310, 25-28 Nov. 2007.
- 5] A. Pacquit, T. L. King, D. Diamond. Development of a Colorimetric sensor for monitoring of fish spoilage amines in packaging headspace. *Proceedings of IEEE on Sensors*. P. 365 - 367 vol.1. 24-27 Oct. 2004.



INNO SPACE
SJIF Scientific Journal Impact Factor

Impact Factor:
7.488

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

 9940 572 462  6381 907 438  ijircce@gmail.com



www.ijircce.com

Scan to save the contact details