





# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

Volume 10, Issue 5, May 2022



**Impact Factor: 8.165** 







#### International Journal of Innovative Research in Computer and Communication Engineering



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 5, May 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1005094|

### Fingerprint Folder lock system

N.J. Mahale, Vinay Rajendra Sutar, Priyanka Suresh Sonar, Samruddhi Sanjay Inamdar

Department of Computer Technology, JSPM Rajarshi Shahu College of Polytechnic, Thathawade, Pune, India

**ABSTRACT:** Our project is a Java implementation of AES algorithm for fingerprint encryption. Biometric traits are unique to each person and wherever he goes, it goes with him. Fingerprint authentication is an efficient system, as opposed to password-based authentication, where the password can be lost or forgotten or hack

**KEYWORDS:** AES, Biometric

#### I. INTRODUCTION

A locked folder is a method used to ensure that no one intentionally has access to your private and confidential information. Currently used password based systems have many associated inconveniences and problems such as requiring the user to remember passwords, passwords can be guessed or broken through brute force and also have non-rejection problems is. In addition, the password authentication method is breakable as a keyword is allowed to access some. Therefore, it can be leaked and cracked using any method such as dictionary attack, or social engineering. Due to the drawback, this method lacks the universality of some features and the system's validation performance is the upper limit and the unacceptable error rate for a single modal authentication system. Multimodal biometric can be a combination of two types of any physical or behavioral biometric as it is applied in a system that has been developed. Therefore, a system is proposed to overcome the above problems by adding multimodal biometric authentication that will provide another layer of security. Those problems are being overcome and it has been proven that by adding another layer of security because authentication is more secure. It has been proved and tested that using a combination of two biometric methods, fingerprint and signature, as authentication method is more secure and reliable.

#### 1.2 Literature Survey

A locked folder is a method used to ensure that no one intentionally has access to your private and confidential information. Currently used password based systems have many associated inconveniences and problems such as requiring the user to remember passwords, passwords can be guessed or broken through brute force and also have non-rejection problems is. In addition, the password authentication method is breakable as a keyword is allowed to access some.

Therefore, it can be leaked and cracked using any method such as dictionary attack, or social engineering. Due to the drawback, this method lacks the universality of some features and the system's validation performance is the upper limit and the unacceptable error rate for a single modal authentication system. Multimodal biometric can be a combination of two types of any physical or behavioral biometric as it is applied in a system that has been developed. Therefore, a system is proposed to overcome the above problems by adding multimodal biometric authentication that will provide another layer of security. Those problems are being overcome and it has been proven that by adding another layer of security because authentication is more secure. It has been proven and tested that using a combination of two biometric methods, fingerprint and signature, as an authentication method is more secure and reliable types may be used if needed for special purposes.

#### II. PROPOSED SYSTEM

In our project, the step is to capture the fingerprint using a fingerprint scanner. After finger capturing we will use the fingerprint template and generate unique IDs per user, after extracting the ID we will provide the facility to lock and unlock user information like files and using the folder byte rotation algorithm.

User data can be large in size, so our project provides a chanking mechanism to process user data in small segments. The multiplayer matching technique is used to verify the verification of multiple user fingerprints. To achieve high speed and reliable security system, we are using bio-metric fingerprint technology



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| <u>www.ijircce.com</u> | | Impact Factor: 8.165 |

| Volume 10, Issue 5, May 2022 |

| DOI: 10.15680/IJIRCCE.2022.1005094|




Chart -1: Flowchart

#### Advantage:

Biometrics has no risk of

- 1. Forgetting it
- 2. Getting in stolen
- 3. Getting it copied Being used by anyone else




Fig -1: DFD 1

Future Scope: Performance can be increased in terms of speed and memory.

IJIRCCE©2022

#### International Journal of Innovative Research in Computer and Communication Engineering



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | | Impact Factor: 8.165 |

|| Volume 10, Issue 5, May 2022 ||

| DOI: 10.15680/IJIRCCE.2022.1005094|

A speaking voice alarm can be used to indicate unauthorized person accessing the Account. The system can be made to communicate with modems or mobile phones

#### III. CONCLUSIONS

The fingerprint device based system for securing the transactions of the user and providing the security for the User and even more for the Account verification using a finger print scanner has been followed.

#### **ACKNOWLEDGEMENT (Optional)**

The authors can acknowledge any person/authorities in this section. This is not mandatory.

#### REFERENCES

- [1] D. Florencio & c. Hurley, "A Large-Scale Study of Web Passwords Habits, "in WWW '07: Proceedings of the 16th International Conference On the World Wide Web. Banff, Alberta, Canada: ACM, 2007, pp. 657–666.
- [2] J. E. Weber, D. Guster, p. Safonov, and M. B. Schmidt, "weak password Security: An Empirical Study. Journal of Information Security: A Global Perspectives, Vol. 17, no. 1, pp. 45–54, 2008.
- [3] P. Hunkecker, Ann. Borno and P. Karayon, "Password Authentication From a human factors perspective: results of a survey among end users," Proceedings of the annual meeting of the Human Factors and Ergonomics Society, Vol. 53, pp. 459–463 (5), September 2009.
- [4] M. Dell'Amico, p. Mikiardi, and Y. Raudier, "Password strength: An Empirical Analysis, "In INFOCOM'10: 29th Proceedings Conference on Information Communication. Piscataway, NJ, USA: IEEE Press, 2010, pp. 983–991.
- [5] J. Yan, a. Blackwell, R. Anderson, and A. Grant, "Password memorization and security: Empirical results," Security and Privacy, IEEE, Vol. 2, No. 5, pp. 25–31, 2004.





**Impact Factor: 8.165** 







## INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING







📵 9940 572 462 🔯 6381 907 438 🔀 ijircce@gmail.com

