

e-ISSN: 2320-9801 | p-ISSN: 2320-9798



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

Volume 8, Issue 11, November 2020



Impact Factor: 7.488

9940 572 462

S 6381 907 438

🖂 ijircce@gmail.com

🛛 🥝 www.ijircce.com



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | Impact Factor: 7.488 |

|| Volume 8, Issue 11, November 2020 ||

Secure Text/Image Data Communication by Image Steganography into Video Sample

Kamlesh Deshmukh, Mr. Neelabh Sao

M.Tech Scholar, Department of Computer Science, Rungta College of Engineering and Technology, Bhilai, CG, India

Assistant Professor, Department of Computer Science, Rungta College of Engineering and Technology, Bhilai, CG, India

ABSTRACT: Video steganography is the technique which can hide the sensitive text data. In the past times, various techniques have been proposed for video steganography which is broadly into wavelet transformation and discrete transformation. In this research paper, novel technique hasbeen proposed which is based on textual feature extraction, selection and encryption. The proposed algorithm is implemented in MATLAB and it has been analyzed that it performs well in terms of PSNR and MSE.

KEYWORDS: DCT, DWT1, DWT3, PSNR, MSE, BER, MAD

I. INTRODUCTION

In order to hide the data from external users, there are various modifications made for which the steganography and cryptography techniques are used the most these days. There are large numbers of applications which include the usage of these techniques. They help in hiding the messages, the secret information related to credit cards and for various such applications.

The conversion of important information into unreadable form is known as encryption. Encryption is utilized as a secure mechanism in order to protect the data from past few decades by various organizations and single users. With the increase in growth of digital world there has been an increase in demand of securing the digital images.

The initial phase executed in the work proposed in this paper is the pre-processing phase. Here, two random video frames are chosen as input images. One of these images is utilized for creating a key and the other image is used for providing encryption with that key used. Further, with the

help of gray level co-occurrence matrix algorithm the various texture features of an image are extracted. The wavelet transformation algorithm is applied in order to choose the best features. Further, the second image is partitioned into numerous blocks. Each block here is encrypted by applying chaos-based image cryptosystem in it.

The further sections of this paper are summarized as follows: The past work related to this research is presented in Section 3. Section 4 explains the proposed methodology along with the flowchart. The various experimental results are presented in Section 5 along with the analysis made.

II. LITERATURE SURVEY

In 2011, Guoji Zhang et al, proposed in this paper a novel image encryption method which helps in defining the skew tent chaotic map. This method further helps in generating permutation-diffusion architecture within this paper. The P-box is chosen as a similar size of plain image within this method. This helps in changing the location of pixels. The plain-image helps in identifying the key stream which is generated by the skew tent chaotic map. In order to provide reliable network security and secure communications within the networks, this method is highly beneficial. The attacks possible in the network can be prevented with the help of key space.

International Journal of Innovative Research in Computer and Communication Engineering



| e-ISSN: 2320-9801, p-ISSN: 2320-9798| <u>www.ijircce.com</u> | Impact Factor: 7.488 |

|| Volume 8, Issue 11, November 2020 ||

In 2014, Shabir A. Parah et al. proposed in this paper adata hiding mechanism which will include within it the scrambling and pseudorandom methods. This helps in providing a two layer security to the embedded data. Agood perceptual transparency can be seen on the stego images generated through this mechanism.

In 2015, Wen Chen et al. proposed in this paper a new method in order to provide encryption to multiple-image encryption. The three-dimensional space is utilized herewithin which a series of particle-like points are appropriated. This is mainly done with the help of isolation of each of the information present in the image. The encryption of all the particle-like points is done into phase just mask through this method. As per the simulation results achieved it can be seen that the proposed method enhances the security within the 3D applications as well.

In 2016, Venkata Krishna et al. proposed in this papera new image encryption mechanism that includes the AES and visual cryptography methods. The main motive here isto protect the image for which an encoding mapping isproposed. This method helps in converting the key into shared with respect to the Visual Secret Sharing mechanism. By making modifications in the key shares the confidentiality is tested here. This is to be done before thedata arrives towards the destination. As per the simulation results it is seen that in case there are any encrypted shares

attained by the intruder from the network, the originalsecret image cannot be accessed without the application ofcipher on it. This results in keeping the data still secure .

In 2016, Xianye Li et al. proposed in this paper a new multiple-image encryption mechanism. The modified logistic map algorithm is included along with the coordinating sampling and compressive ghost imaging inorder to secure the data. This results in increasing the feasibility of the method. Initially, the random phase-justmasks are generated along with the application of modified logistic map algorithm. Further, the next step focuses oncreating 2Ddiscrete cosine transformation (DCT) operation from the multiple secret images. The random sequencesobserved here are scrambled which are further grouped toan image. The sampling matrices are utilized in order togroup these images amongst which the consolidated imageis placed in the object place of the used method.

In 2016, Malika Sharma et al. proposed in this paper animage encryption method which includes the two stageiterative logistic map in it. In order to extract an image insingle output, an image encryption method is to be generated. This results in including legitimate level of confusion and diffusion within the system. It is seenthrough the experimental results that the proposed method

provides more secure mechanism which helps inimproving the performance of this method in compare to the other methods.

III.THE PROPOSED METHOD

This work is based on image encryption. According to an existing technique, which is applied on enciphering application in which image is transmitted over unsecured channels. To encrypt the image for the transmission overrun secured channels, image is divided into blocks. The image when divided into blocks, these divided blocks are rearranged to encrypt the image. The blocks are shuffled into fixed pattern and this pattern is decided by the keywhich used for encryption. The key is derived based on relationship between pixels of the image. The proposed algorithm can be applied in the following steps:-

1. Pre-processing Phase: In the pre-processing phase, the two random video frames are chosen as input images which need to encrypt and second image is the image from which key need to generate.

2. Feature extracted: In the second phase, the textual features of the first image is extracted using the DCT/DWT algorithm. The DCT/DWT algorithm will extract the features like energy, entropy etc. from the image.

3. DCT/DWT algorithm:

1. Count all the number of pixels in the matrix in which he data is saved.

- 2. Store the counted pixels in matrix P[i,j].
- 3. Check similarity between pixels in the matrix by applying histogram technique.
- 4. Calculate contrast factor from the method.
- 5. The elements of image need to be normalized by dividing the pixels.

6.ApplyMatlab DCT and DWT command for wavelet transform.

International Journal of Innovative Research in Computer and Communication Engineering

IRCCE

| e-ISSN: 2320-9801, p-ISSN: 2320-9798| www.ijircce.com | Impact Factor: 7.488 |

|| Volume 8, Issue 11, November 2020 ||

IV. CONCLUSION

In this work, it has been concluded that video steganography is the efficient technique to provide security to the sensitive data. The general image steganography techniques are classified into wavelet based and discrete techniques. Here a novel technique has been proposed which is based on feature extraction, selection and generation of stegno image. The performance of proposed

algorithm is tested in terms of MSE and PSNR. It has been analyzed that proposed algorithm performs well in terms of these two parameters and provide good results against various attacks. In future, we can increase more wavelet transformation level for high security of data and also increase number of message image into more number of frames.

REFERENCES

[1] S. Rohith, K N HariBhat and A Nandini Sharma, "Image encryption and decryption using chaotic key sequence generated bysequence of logistic map and sequence of states of Linear

Feedback Shift Register", 2014, IEEE, International Conference onAdvances in Electronics, Computers and Communications(ICAECC), pp. 1-6.

[2] R.M. Haralick, K. Shanmugan, and I. Dinstein, "Textural Featuresfor Image Classification", IEEE Transactions on Systems, Man, and Cybernetics, Vol. SMC-3, Nov 1973, pp. 610-621.

[3] Zhigang Shang and Mengmeng Li, "Combined Feature Extraction and Selection in Texture Analysis", 2016, IEEE, 9th International Symposium on Computational Intelligence and Design (ISCID), 2016, Vol. 1, pp. 398 – 401.

[4] S. Sowmya and S. V. Sathyanarayana, "Symmetric Key ImageEncryption Scheme with Key Sequences Derived from RandomSequence of Cyclic Elliptic Curve Points over GF(p)", 2014,

International Conference on Contemporary Computing and Informatics (IC3I), pp. 1345 - 1350.

[5] Guoji Zhang, Qing Liu, "A novel image encryption method basedon total shuffling scheme", 2011, Optics Communications 2842775-2780.

[6] Shabir A. Parah, Javaid A. Sheikh, Abdul M. Hafiz, G.M. Bhat, "Data hiding in scrambled images: A new double layer securitydata hiding technique", 2014, Computers and Electrical

Engineering 40 pp.70-82.





Impact Factor: 7.488





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

🚺 9940 572 462 🔟 6381 907 438 🖾 ijircce@gmail.com



www.ijircce.com