

A Survey on Colour Correction Technique and Copyright Security for 3D RGB-D System

Sujeet Prakash Singh¹, Prof. Princy singh²M.Tech Student, Dept. of Electronics&Communication Engineering, OIST Bhopal- (M.P.), India¹Asst.Professor, Dept. of Electronics&Communication Engineering, OIST Bhopal- (M.P.), India²

ABSTRACT: In these days all customers of the web have the capability to down load replica and retransmit the multimedia knowledge legally or illegally due to the web open environment. Many issues come up reminiscent of copyright security and intellectual property. IMAGE segmentation has witnessed great success in many computer vision tasks such as object location and object recognition. Most image segmentation methods are designed for color images. In this paper, different approach for colour correction as well as digital security are studied. Our goal is find a novel approach which is capable to resolve such mixed, lost, and noisy pixel problems of the RGB-D system and has been simulated using MATLAB software. The advantage of MATLAB offers is that it is widely available, continuously updated and has wider reach.

KEYWORDS: RGB-D, MATLAB, Security

I. INTRODUCTION

The research of 3D reconstruction has always been a focus and difficulty. Using 3D reconstruction one can determine any object's 3D profile, as well as knowing the 3D coordinates of any point on the profile. The 3D reconstruction of objects is a generally scientific problem and core technology of a wide variety of fields, such as Computer Aided Geometric Design(CAGD), Computer Graphics, Computer Animation, Computer Vision, medical imaging, computational science, Virtual Reality, digital media, etc. For instance, the lesion information of the patients can be presented in 3D on the computer, which offers a new and accurate approach in diagnosis and thus has vital clinical value.

Depth maps have a number of uses, including:

- Simulating the effect of uniformly dense semi-transparent media within a scene - such as fog, smoke or large volumes of water.
- Simulating shallow depths of field - where some parts of a scene appear to be out of focus. Depth maps can be used to selectively blur an image to varying degrees. A shallow depth of field can be a characteristic of macro photography and so the technique may form a part of the process of miniature faking.



Fig.1 Contrast Correction for Optical See

A. LIMITATIONS

- Depending on the intended use of a depth map, it may be useful or necessary to encode the map at higher bit depths. For example, an 8 bit depth map can only represent a range of up to 256 different distances.
- Depending on how they are generated, depth maps may represent the perpendicular distance between an object and the plane of the scene camera.

International Journal of Innovative Research in Computer and Communication Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 8, August 2016

Collected 3D data is useful for a wide variety of applications. These devices are used extensively by the entertainment industry in the production of movies and video games. Other common applications of this technology include industrial design, orthotics and prosthetics, reverse engineering and prototyping, quality control/inspection and documentation of cultural artifacts.

II. REVIEW WORKS

A. Watermarking Technique

Spectral domain 3D image watermarking is heavily preferred over the spatial domain because of the robustness of the embedded watermark. The spectral domain image 3D image watermarking branches into DCT(Discrete Cosine Transform), DFT(Discrete Fourier Transform) and DWT(Discrete Wavelet Transform).

B. Robust Semi-Automatic Depth

Here presented a semi-automatic system for obtaining depth maps for unconstrained images and video sequences, for the purpose of stereoscopic 3D conversion. With minimal effort, good quality stereoscopic content is generated. Our work is similar to Guttmann al. The core of our system incorporates two existing semi-automatic image segmentation algorithms in a novel way to produce stereoscopic image pairs. The incorporation of Graph Cuts into the Random Walks framework produces a result that is better than either on its own. This alleviates much user input, as only the first frame needs to be marked. However, the quality of the final depth maps is dependent on the user input, and thus the depth prior. With this, we introduced to control the depth prior contribution, mitigating some of the less favorable effects. For future research, we are currently investigating how to properly set this constant, as it is currently static and selected apriori. We are investigating possible means for adaptively changing based on some confidence measure to determine whether one paradigm is preferred over the other.

C. Graph based Segmentation

In MAY 2015 Jingyu Yang et all in topic "Graph-Based Segmentation for RGB-D Data Using 3-D Geometry Enhanced Superpixels" With the advances of depth sensing technologies, color image plus depth information (referred to as RGB-D data here after) is more and more popular for comprehensive description of 3-D scenes. This paper proposes a two-stage segmentation method for RGB-D data: 1) over segmentation by 3-D geometry enhanced superpixels and 2) graph-based merging with label cost from superpixels. In the over segmentation stage, 3-D geometrical information is reconstructed from the depth map. Then, a K-means-like clustering method is applied to the RGB-D data for over segmentation using an 8-D distance metric constructed from both color and 3-D geometrical information. In the merging stage, treating each superpixel as a node, a graph-based model is set up to reliable the superpixels into semantically-coherent segments. In the graph-based model, RGB-D proximity, texture similarity, and boundary continuity are incorporated into the smoothness term to exploit the correlations of neighboring superpixels.




Fig.2 Geometry Enhanced Superpixels

This paper presents a novel segmentation method for RGB-D data based on 3-D geometry enhanced superpixels. We first cluster the pixels by K-means with an 8-D distance to generate the semantically-coherent superpixels. Then we merge the superpixels based on a graph-based energy minimization framework with label cost, to obtain segmentation results. By introducing the geometrical information, the proposed segmentation method overcomes the difficulty in superpixel clustering stage, the reconstructed 3-D geometrical information from depth maps greatly improves over segmentation performance. In the merging stage, superpixels are merged into semantically-coherent segments by a graph-based energy minimization framework with label cost. Experimental results show that the superpixel clustering method is powerful in generating semantically-coherent over segmentation results. The effects of parameters in the graph-based merging model are investigated, suggesting a set of typical value.

International Journal of Innovative Research in Computer and Communication Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 8, August 2016

D. Mobile panorama

In January 2015 Wei Yao et al in the paper “Instant Color Matching for Mobile Panorama Imaging” presents an efficient color matching approach to address the photometric inconsistency problem that commonly exists in panoramic images. Color correction, as the first step, is to adjust the color and luminance of source images so that the differences between adjacent images can be minimized. Color blending is used after the color correction to further smooth the color transition between adjacent images. With the first image being selected as a basis image, the proposed approach can start the color matching and stitching process once the second image is captured.



Fig.3 panorama Images consist photometric inconsistency problem

This paper color matching approach is presented to solve the photometric inconsistency problem in mobile panoramic image stitching. The proposed approach consists of two steps. Color correction first corrects the source images to minimize the color and luminance differences between adjacent images. Color blending is then applied to further smooth the color transition between adjacent images to make the seam invisible. A major advantage of the proposed approach is that the processing can be done in parallel with image capturing while the existing approach in [4] can only establish the cost function to get correction parameters when all the source images are captured

E. Skin color correction

In AUGUST 2009 Zhi-Guo et al in this paper “A Method of Dynamic Skin Color Correction Applied to Display Devices”-The ability of the color reproduction is the main criterion which is used for assessing the image quality in display devices. The skin color becomes the primary research object because it occupies relatively large area in the video signals. Therefore, a method of dynamic skin color correction is proposed in this paper. In the proposed method, the skin color region which is required to adjust in the input image is shifted dynamically toward the characteristic skin color region so that the corrected skin color becomes more natural.



Fig/4 Some Dynamic Skin Color Correction.

A method of dynamic skin color correction is proposed in this paper. In the proposed method, the skin color region which is required to adjust in the input image is shifted dynamically toward the characteristic skin color region while no color transformation is required inside the characteristic skin color region. Based on the dynamic skin color correction method, the simple model is proposed for the convenience of hardware implementation in this paper. For explaining the validity of the proposed method, some of simulation results are given in this paper. Furthermore, the real-time dynamic skin color correction circuit based on the simple model is implemented and tested in a 42-inch AC PDP



International Journal of Innovative Research in Computer and Communication Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 8, August 2016

F. Color Overlay Forward Error Correction

A color overlay structure was developed for media streaming applications using multiple paths and the FEC technique. The overlay is bandwidth-efficient due to its basic ALM organization. In addition, many extra links between peers are utilized. The FEC techniques enable the system to use these extra links to their maximum efficiency. The color overlay improves system capacity by reducing bottlenecks, is more resilient to network dynamics, and is more reliable against node failures, as compared to other existing ALM structures. A light-weight protocol was also presented for building the overlay. Extensive simulations clearly demonstrate the advantages of the proposed color overlay.

G. Spatial domain Watermarking

Embedding a watermark in the spatial domain scatters the knowledge to be embedded making it hardly ever detectable. These approaches are nice in their resistance to cropping, however they are vulnerable to assaults like noise and compression. The most straightforward means to add a watermark to an photograph within the spatial domain is so as to add a pseudorandom noise sample to the luminance values of its pixels. A few approaches are centered on this precept (Emek, &Pazarci, 2005).

H. Frequency or transform area Watermarking

Embedding a watermark in a grow to be domain proved to be extra effective with appreciate to attaining the imperceptibility and robustness standards of digital image.

Watermarking algorithms. Mainly used frequency-domain transforms comprise the Discrete Wavelet transform (DWT), the Discrete Cosine turn into (DCT), Discrete Fourier change into (DFT), Haar Wavelet transform (HWT) and Contourlet turn out to be (CT) (Shilbayeh,&Alshamary, 2010).

Most often, the frequency-based procedures are higher than the spatial-headquartered ones based on the following observations:

- Within the frequency area, extra bits of watermark can be embedded into the fashioned snapshot.
- In the frequency area, watermarked picture being more amazing to attacks.

The Discrete Wavelet Transform based techniques (DWT)

Discrete Wavelet change into (DWT) situated strategies are more powerful and standard considering DWT has a number of benefits over other transforms together with space-frequency localization, multi resolution illustration, advanced HVS modeling, linear complexity and adaptively. It locates areas of high frequency or core frequency to embed information imperceptibly. Despite the fact that, DWT is widespread, powerful and familiar amongst watermarking approaches, it has its possess barriers in shooting the directional

I. Filter

Median Filters The basic median filter is the standard median filter. In this method, a square window of size $2k+1$, where k goes from 1 to N , is used to filter the center pixel. The pixels in the window are first sorted and the center pixel is changed to the median value of the sorted sequence. This method is the simplest of the median filtering techniques and because of its simplicity; it has been used for a long time.

III. THE STATEMENT OF THE PROBLEM

There are a lot of digital picture watermarking techniques utilized to hide secret knowledge in the fashioned picture for the reason of copyright safety and knowledge authentication. The 3D watermarking algorithm offered on this work, presents a good approach to overcome the difficulty of attacks after transmitting picture through the web or after performing some picture operation like compression or cropping. For this reason, there may be an important ought to endorse a new development of digital 3D watermarking approaches that is potent in opposition to different types of attacks and the extracted watermark which may also be comfortably recognized.

IV. SIGNIFICANCE OF THE STUDY

1. The process may furnish a first-class improvement to scientific application. 3D Digital watermark can create hidden label and annotation in clinical application considering that 3D watermark probably used for some sufferer documents.
2. The process is a compatible solution for the hindrance of copyright security and data authentication.



International Journal of Innovative Research in Computer and Communication Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 8, August 2016

3. The process may be used in banks software. 3D Watermark acts as a digital signature, giving the snapshot a sense of possession or authenticity.
4. The approach could have pleasant significance in fingerprint application considering that it is invisible and inseparable from the content material.
5. This kind of software is valuable for monitoring and tracing illegally produced copies of digital work.

V. CONCLUSION

In this paper we studied different approaches for colour correction and security issue in digital data. The state of the art in color correction by presenting a way to address the material distortion and a real-time color correction algorithm based on display profiles. We showed that the material distortion can be addressed as linear functions on the LAB components. Quick Correction navigates display profiles using sampling, a radically new approach. Some approach is not obvious from a traditional computer graphics perspective (i.e., colors in RGB), and is valid only once we consider a perceptual representation of color (i.e., using the CIE LAB color space). Our key contribution is to find the real time feasibility of color correction.

In two predominant instances, the watermark assaults wreck embedded watermark information. First when the watermark knowledge is embedded in high frequency components of the photographs. Excessive frequency content of an snapshot behaves like brought noise and consequently noise removing algorithms similar to smoothing, and median filtering destroys it. Lossy compression algorithms also attempt to scale down the photograph size through doing away with the small details which correspond to excessive frequency content material of the image.

REFERENCES

- [1] IEEE TRANSACTIONS ON CYBERNETICS, VOL. 45, NO. 5, MAY 2015 913 Graph-Based Segmentation for RGB-D Data Using 3-D Geometry Enhanced Superpixels Jingyu Yang, Member, IEEE, Ziqiao Gan, Kun Li, Member, IEEE, and Chunping Hou.
- [2] S.-Y. Kim et al.: Depth Image Filter for Mixed and Noisy Pixel Removal in RGB-D Camera Systems 681 Contributed Paper Manuscript received 07/01/13 Current version published 09/25/13 Electronic version published 09/25/13. 0098 3063/13/\$20.00 © 2013 IEEE Depth Image Filter for Mixed and Noisy Pixel Removal in RGB-D Camera Systems Sung-Yeol Kim, Manbae Kim, and Yo-Sung Ho, Senior Member, IEEE.
- [3] IEEE SIGNAL PROCESSING LETTERS, VOL. 22, NO. 1, JANUARY 2015 Instant Color Matching for Mobile Panorama Imaging Wei Yao, Member, IEEE, and Zhengguo Li, Senior Member.
- [4] IEEE TRANSACTIONS ON VISUALIZATION AND COMPUTER GRAPHICS, VOL. 21, NO. 12, DECEMBER 2015 SmartColor: Real-Time Color and Contrast Correction for Optical See-Through Head-Mounted Displays Juan David Hincapi_e-Ramos, Levko Ivanchuk, Srikanth K. Sridharan, and Pourang P. Irani.
- [5] IEEE TRANSACTIONS ON IMAGE PROCESSING, VOL. 25, NO. 3, MARCH 2016 1219 A Retinal Mechanism Inspired Color Constancy Model Xian-Shi Zhang, Shao-Bing Gao, Ruo-Xuan Li, Xin-Yu Du, Chao-Yi Li, and Yong-Jie Li, Member, IEEE.
- [6] JOURNAL OF DISPLAY TECHNOLOGY, VOL. 11, NO. 1, JANUARY 2015 79 Color Distortion-Aware Error Control for Backlight Dimming Suk-Ju Kang, Member, IEEE, Sungwoo Bae, Member, IEEE, Jae-Jung Yun, and Moo-Yeon Lee.
- [7] Robust DT-CWT Watermarking for DIBR 3D Images by "Hee-Dong Kim, Ji-Won Lee, Tae-Woo Oh, and Heung-Kyu Lee" IEEE TRANSACTIONS ON BROADCASTING, VOL. 58, NO. 4, DECEMBER 2014.
- [8] Y. Andreopoulos, K. Masselos, P. Schelkens, G. Lafuit, and J. Cornelis, Cache Misses and Energy Dissipation Results for JPEG-2000 Filtering, Proc. 14th IEEE Int. Conf. on Digital Signal Processing, 2002, pp. 201–209.
- [9] Y. Andreopoulos, P. Schelkens, and J. Cornelis, Analysis of Wavelet Transform Implementations for Image and Texture Coding Applications in Programmable Platforms, Proc. IEEE Signal Processing Systems, 2001, pp. 273–284.
- [10] Y. Andreopoulos, P. Schelkens, G. Lafuit, K. Masselos, and J. Cornelis, High-Level Cache Modeling for 2-D Discrete Wavelet Transform Implementations, Journal of VLSI Signal Processing 34 (2003), 209–226.
- [11] Y. Andreopoulos, N. D. Zervas, G. Lafuit, P. Schelkens, T. Stouraitis, C. E. Goutis, and J. Cornelis, A Local Wavelet Transform Implementation Versus an Optimal Row-Column Algorithm for the 2D Multilevel Decomposition, Proc. IEEE Int. Conf. on Image Processing, vol. 3, 2001, pp. 330–333.
- [12] C. Chrysafis and A. Ortega, Line-Based, Reduced Memory, Wavelet Image Compression, IEEE Trans. on Image Processing 9 (2000), no. 3, 378–389.