



IJIRCCCE

e-ISSN: 2320-9801 | p-ISSN: 2320-9798



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

Volume 9, Issue 4, April 2021

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 7.488

 9940 572 462

 6381 907 438

 ijircce@gmail.com

 www.ijircce.com

Evaluating Different Resampling Strategies in Predicting College Students Performance Using Machine Learning Techniques

S. Anil Kumar¹, P. Sarah Sharonika², M. Parvathi³, M. Govardhani⁴, Sd. Irfan Ahamed⁵

Assistant Professor, Dept. of CSE, Tirumala Engineering College, NRT, Andhra Pradesh, India ¹

UG Student, Dept. of CSE, Tirumala Engineering College, NRT, Andhra Pradesh, India ²

UG Student, Dept. of CSE, Tirumala Engineering College, NRT, Andhra Pradesh, India ³

UG Student, Dept. of CSE, Tirumala Engineering College, NRT, Andhra Pradesh, India ⁴

UG Student, Dept. of CSE, Tirumala Engineering College, NRT, Andhra Pradesh, India ⁵

ABSTRACT: In today's world, thanks to the advancement of technology, predicting the students' performance is among the foremost beneficial and essential research topics. data processing is extremely helpful within the field of education, especially for analyzing students' performance. It's a incontrovertible fact that predicting the students' performance has become a severe challenge due to the imbalanced datasets during this field, and there's not any comparison among different resampling methods. This paper attempts to match various resampling techniques like Borderline SMOTE, Random over Sampler, SMOTE, SMOTE-ENN, SVM-SMOTE, and SMOTE-Tomek to handle the imbalanced data problem while predicting students' performance using two different datasets. Moreover, the difference between multiclass and binary classification, and structures of the features are examined. To be ready to check the performance of the resampling methods better in solving the imbalanced problem, this paper uses various machine learning classifiers including Random Forest, K-Nearest-Neighbor, Artificial Neural Network, XG-boost, Support Vector Machine (Radial Basis Function), Decision Tree, Logistic Regression, and Naïve Bayes. Furthermore, the Random hold-out and Shuffle 5-fold cross-validation methods are used as model validation techniques. The achieved results using different evaluation metrics indicate that fewer numbers of classes and nominal features will lead models to raised performance. Also, classifiers don't perform well with imbalanced data, so solving this problem is important. The performance of classifiers is improved using balanced datasets. Additionally, the results of the Friedman test, which may be a statistical significance test, confirm that the SVM-SMOTE is more efficient than the opposite resampling methods. Moreover, The Random Forest classifier has achieved the simplest result among all other models while using SVM-SMOTE as a resampling method.

KEYWORDS: Classification, data mining, educational data mining, imbalanced data problem, machine learning, resampling methods, statistical analysis.

I. INTRODUCTION

Recent advancement in several fields has led to a large amount of collected data [1]. Since analyzing the considerable amount of data to reach useful information is a tedious task for humankind, data mining techniques can be used to discover valuable and significant knowledge from the data [2]. It is well-known that universities are operating in a very complex and highly competitive environment [3], [4]. The main challenge for universities is to examine their performance profoundly, identify their uniqueness, and build tactics for further development and future achievements [5]. The educational system understands the potential of using data mining to improve its performance dramatically.

Educational Data Mining (EDM) is the implementation of data mining methods for analyzing available data at educational institutions [6]. Although data mining leads to knowledge discovery, machine learning algorithms provide the needed tools for this purpose. The high accuracy prediction in students' performances is useful as it helps to identify the students with low academic achievements at the early stage of academics [7], [8]. Educational data mining helps



educational organizations to extend their understanding of the learning process by analyzing the related educational data [9], [10]. In fact, the prediction of student academic performance is indispensable for student academic progression, and it is also challenging due to the influence of different factors affecting students' performance [11], [12]. In recent years, researchers have introduced new strategies for educational data mining.

There have been numerous researches in the education field. In 2008, [13] introduced an Artificial Neural Network (ANN) model using a sample of 1,407 students' pro- files to predict their performance. The proposed algorithm was trained and tested by applying the hold-out method, which is one of the most popular cross-validation techniques. It should be noted out that there are other researches that have implemented the Artificial Neural Network algorithm as a predictive model. In 2015, [14] developed two differ- ent models of the Artificial Neural Network algorithm. The results of this research indicated that the Artificial Neural Network model could predict 95% of students' performance accurately, which shows the effectiveness of this model in prediction. Furthermore, [15] tested the Artificial Neural Network model with the overall accuracy result of 84.6%, which proves the potential of this model in predicting students' per- formance. It is apparent that other machine learning models have also been developed. [16] formed a Naive Bayes model using the 700 students' data to predict their performance. Also, [17] used the Decision Tree models with an overall correct classification percentage of 60.5%. In addition, this research indicated the essential features using feature impor- tance method.

TABLE 1. Review of research works in the field of educational data mining and predicting students' performance.

Article	Machine Learning Model							Imbalance Data Problem				validation		Statistical Evaluation	Model Comparison		
	Logistic Regression	K-Nearest-Neighbor	Naive Bayes	Support Vector Machine	Artificial Neural Network	Decision Tree	Random Forest	XG-Boost	Borderline SMOTE	Random Over Sampler	SMOTE	SVM_SMOTE	SMOTE_ENN			SMOTE-Tomek	Hold-Out
[13]					✓										✓		✓
[23]			✓	✓	✓		✓								✓		✓
[17]					✓	✓									✓		✓
[22]		✓	✓		✓	✓									✓		✓
[27]	✓			✓	✓	✓			✓	✓					✓		✓
[25]	✓				✓	✓			✓						✓		✓
[18]		✓	✓		✓	✓									✓		✓
[14]					✓	✓									✓		✓
[15]					✓	✓									✓		✓
[26]			✓		✓	✓				✓					✓		✓
[16]			✓		✓	✓									✓		✓
[19]	✓	✓	✓	✓	✓	✓									✓		✓
[20]	✓	✓	✓	✓	✓		✓	✓							✓		✓
[21]	✓				✓	✓									✓		✓
[24]	✓		✓	✓	✓	✓									✓		✓
Present Work	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

II. MATERIAL & METHODS

This paper attempts to compare the different resampling methods of handling the imbalanced data problem to find the best approach and classifier while predicting the students' performance. Also, examining the difference between mul-ticlass and binary classification and the importance of the features' structure are among the goals of this research. The steps of the applied methodology to achieve the goals of this paper are as follows:

1. Data Collection
2. Data Preprocessing
3. Handling Imbalanced dataset

4. Implementing Predictive Models
5. Analyzing the Results

Hold-Out

A. DATA SET INFORMATION

This research has used two different educational datasets from educational institutions of Iran and Portugal [23]. In the Iran dataset, all available information about postgraduate students collected and registered manually from Iran University of Science and Technology between 1992-93 and 2014-15 academic years. This dataset consists of a set of factors that can affect the students' performance. This dataset includes information on the 650 students with 19 different attributes. Also, in the Portugal dataset, all the information is related to student achievement in the secondary education of two Portuguese schools. This dataset includes information on the 394 students with 19 different attributes. The output variable in this study is the Final GPA. The information about the output attribute for both datasets is divided into four categories based on the grade point average of the students. These four categories are Poor, Medium, Good, and Excellent students, so this paper faces a multi-classification problem. Table 2 presents the main features of these datasets. Using these two datasets helps to better express the imbalanced data problem in all levels of educational fields, to have a better comparison among different resampling methods, and to gain more trustable results. Moreover, different structure of these datasets helps to have a more comprehensive analysis in the effect of the formation of a dataset.

B. DATA PREPROCESSING

One of the most significant steps in machine learning is data preprocessing. This step transforms the raw data into a proper and understandable format. In the real world, datasets contain many errors; therefore, this step can solve the errors, and the datasets become easy to handle [28]. Fortunately, handling the missing data as a step of data preprocessing is not needed because the datasets used in this research have no missing data.

TABLE 2. Main features of students' dataset of Iran University of Science and Technology.

Iran Dataset		Portugal Dataset	
Feature Name	Type	Feature Name	Type
Sex	Nominal	Sex	Nominal
Age	Numeric	Age	Numeric
Health Status	Ordinal	Travel Time to School	Numeric
Age on Entrance to the University	Numeric	Family Quality Life	Ordinal
Entrance Semester	Nominal	Going Out with Friends	Ordinal
Students' Scholarship Status	Nominal	Health Status	Ordinal
Remedial Courses	Nominal	Absences in Classes	Numeric
Failed Academic Terms	Nominal	Size of the Family	Numeric
Marital Status	Nominal	Free Time after School	Numeric
Children	Nominal	Mother's Job	Nominal
Residence Area (Capital or Other Cities)	Nominal	Father's Job	Nominal
Master's degree Period	Nominal	Extra Educational Support (Financial)	Nominal
Thesis Project (Mandatory or Not)	Nominal	The Goal of Pursuing Education	Nominal
Failed Course	Nominal	Internet Access	Nominal
Major of Study	Nominal	Romantic Relationship	Nominal
Bachelor's Degree GPA	Nominal	Mother's Education	Nominal
Rank of Bachelor's University	Nominal	Father's Education	Nominal
Gap Years Between Bachelor and Master	Nominal	Parents Status	Nominal
Master's Degree GPA	Nominal	Final GPA	Nominal



1) IMBALANCED DATA PROBLEM

Imbalanced data problem occurs in many real-world datasets where the class distributions of data are highly imbalanced. It is important to note that most machine learning models work best when the number of instances of each class is approximately equal [29]. The imbalanced data problem causes the majority class to dominate the minority class; In fact, the Iran dataset includes more samples from Medium (40% of samples) and Good classes (40% of samples), while the other two classes have fewer samples (the Poor class with 11% of samples and the Excellent class with only 9% of samples). The Portugal dataset involves 15% of samples related to Poor class, 44% of samples to Medium class, 35% of samples to Good class, and only 6% of samples to Excellent class. Accordingly, it is necessary to solve the imbalanced data problem because this problem may lead to unpredictable outcomes.

Many strategies have been generated that can handle the imbalanced data problem. The sampling-based approach is one of the most effective methods that can solve the imbalanced data problem. The sampling-based approach can be classified into three categories, namely: Over-Sampling [31], Under-Sampling [32], and Hybrid-Sampling [33].

A: OVER-SAMPLING METHOD

Over-sampling raises the weight of the minority class by replicating or creating new minority class samples. There are different over-sampling methods; moreover, it is worth noting that the over-sampling approach is generally applied more frequently than other approaches.

Random Over Sampler

This method increases the size of the dataset by the repetition of the original samples. The point is that the random over sampler does not create new samples, and the variety of samples does not change [34].

SMOTE

This method is a statistical technique that increases the number of minority samples in the dataset by generating new instances. This algorithm takes samples of the feature space for each target class and its nearest neighbours, and then creates new samples that combine features of the target case with features of its neighbors. The new instances are not copies of existing minority samples [35].




FIGURE 1. The distribution of the students' performance of both datasets.

Borderline SMOTE

In this method, samples and the neighboring ones are more likely to be misclassified than the ones far from the borderline. This method uses the number of majority neighbors of each minority sample to divide the minority samples



into the three groups, namely Safe, Danger, and Noise. It should be noted that the Danger group is used to generate new instances [36].

SVM-SMOTE

This method generates the new minority class samples along with directions from existing minority class instances towards their nearest neighbors. The SVM-SMOTE focuses on creating new minority class samples near borderlines using the SVM model to help set boundaries between classes [37].

2) FEATURE SCALING

Feature scaling or data normalization is a technique that helps to normalize the range of independent variables or features of the dataset. Most of the machine learning models use the Euclidean distance between two data points, so they may not work well without Feature Scaling [41]. There are four popular ways to implement Feature Scaling, namely Standardization, Mean Normalization, Min-Max Scaling, and Unit Vector. The range of students' performance dataset values used in this paper is widely varied. This paper uses the Standardization method to rescale the features. As a result, all the features have the standard normal distribution characteristics with $\mu = 0$ and $\sigma = 1$ where μ is the average, and σ is the standard deviation from the average. The formula used to scale the values is as follows [42]:

$$Z = \frac{x - \mu}{\sigma}$$

III. MACHINE LEARNING MODELS

There are various classifications machine learning models. This paper carries out different classifiers, including Random Forest [43], [44], K-nearest-neighbor [45], [46], Artificial Neural Network [47], [48], XG-boost [49], [50], Support Vector Machine (Radial Basis Function kernel) [51], [52], Decision Tree [53], [54], Logistic Regression [55], [56], and Naïve Bayes [57]. It is a well-established fact that most machine learning classifiers support multiclass classification inherently, such as Artificial Neural Network (ANN), K-Nearest Neighbor (KNN), Random Forest (RF), Logistic Regression (LR), Decision Tree (DT), and Naïve Bayes (NB). Since Support Vector Machine (SVM) and XG-Boost do not support multiclass classification inherently, one vs. one method is used for applying the Support Vector Machine model, and one vs. all method is used for implementing XG-Boost model All of the used machine learning models in this paper are listed in Table 4, together with their specific parameters' settings.

IV. MODEL VALIDATION

Cross-validation is a model validation technique applied to evaluate how the statistical analysis results are generalized into an independent dataset. This paper uses two popular different cross-validation approaches, which are random hold-out (randomly divides the 80% of the data into the training set and 20% into the test set) and shuffle 5-fold cross-validation. It should be noted that the resampling method can only be used on the training set, and the test set classes should not be balanced at all. Therefore, all the resampling methods are applied to the training set while using different model validation.

V. EVALUATION METHODS

Evaluating the performance of classifiers is an essential part of comparing and finding the best model. There are many ways to measure and check the performance of machine learning algorithms. This paper uses various evaluation methods such as prediction Accuracy, Sensitivity, Precision, and F1-score; moreover, the statistical evaluation strategy is used for a more trustable and powerful analyzing and comparing. Analyzing and comparing the classifiers' performance is a significant procedure. Although it is simple to use evaluation measures, the obtained results may be misleading. Therefore, finding the best model or method based on their capabilities is a critical challenge. Statistical significance tests are planned to solve this problem [58]. The repeated-measures ANOVA is the typical statistical test method which is used to determine the differences between more than two related sample means. The null-hypothesis being examined in the ANOVA test is that all resampling methods perform the same and the detected differences are only arbitrary [59]. It should be noted that the ANOVA test considers three assumptions. These

assumptions are as follows:

- 1- The samples should be normally distributed.
- 2- The sample cases should be autonomous from each other.
- 3- the variance between the groups (methods which are being compared) should be approximately equal.

VI. RESULTS & DISCUSSION

This paper tries to show the effect of imbalanced data problem and handle this problem using various resampling methods; additionally, determining the best resampling method and the best classifier compare to all other models and examining the difference between multiclass and binary classification and the importance of the features' structure are among the aims of this paper. All presented models and methods have coded in Python, which is an interpreted, general-purpose, high-level programming language. Moreover, all practical operations are performed with a 2 GHz Intel Core i7 MacBook Pro with 4GB of RAM. It should be pointed out that all the classifiers are first executed on the imbalanced data to show the effect of the imbalanced data problem on the models' performance. Next, all the classifiers are implemented on balanced data generated by resampling methods to notify a better perception of the effectiveness of the resampling methods as ways to solve the imbalanced problem.

A. RANDOM HOLD-OUT METHOD RESULTS

Table 5 shows the performance of the different classifiers on the imbalanced datasets using the random hold-out approach. Various evaluation measure methods such as Accuracy, Recall, Precision, and F1-score are used to provide a better understanding of the performance of the models. One of the most popular evaluation techniques to measure a classifier's performance is accuracy. This metric is the proportion between the number of correct predictions and the total number of samples examined. Although accuracy is easy to understand, it ignores many essential factors that should be considered in assessing the performance of a classifier. In Iran Dataset, all of the accuracy results are below 60%, which reveals that none of the classifiers have achieved satisfactory and remarkable accuracy results. The Artificial Neural Network classifier has obtained 58.46% accuracy, which is the best result among all other models. Also, the worst accuracy result belongs to the Naïve Bayes with the accuracy of 46.15%. In Portugal dataset, the Random Forest, with an accuracy of 76.83%, has the best performance, and the Naïve Bayes with an accuracy of 47.72% has the worst performance. The Recall is the probability of detection indicating the proportion of items identified correctly. It means that ANN correctly identifies 58.46% of all different students in the Iran dataset. All the classifiers' recall test results are similar to their accuracy results. Besides, precision is the portion of the relevant results. The results of this test do not include remarkable outcomes using Iran dataset. The highest precision in the Iran dataset belongs to ANN with 52.98%, and the lowest one goes to Naïve Bayes with 27.76% among all other classifiers. In the Portugal dataset, results are so much better. In fact, the highest precision goes to Random Forest with 78.44%, and the lowest one goes to Decision Tree with 58.23% among all other classifiers.

One of the essential results from table 5 is the overall low performance in all the classifiers. For example, in the Iran dataset, the highest accuracy among the classifiers belongs to ANN with 58.46%, and in the Portugal dataset, Random Forest, with 46.83% has the best performance. There are lots of reasons that can reduce the initial accuracy in classification. One of the reasons could be the structure of the features. The initial results of the Portugal dataset are better than Iran dataset, and this can be because of their features' structure. Actually, Portugal dataset has more numeric features that help the models to better find the patterns in the data. Another reason could be the number of classes. As mentioned, this paper deals with two different datasets that have four classes each. To analyze the effect of the number of classes on the initial performance, we reduced the number of classes to two.



TABLE 6. Accuracy results of the classifiers based on the hold-out strategy on different balanced data.

Model	Dataset	Unbalanced Data	SMOTE	Borderline SMOTE	Random Over Sampler	SMOTE ENN	SVM SMOTE	SMOTE Tomek
Artificial Neural Network	Iran	58.46%	47.69%	43.84%	43.84%	40.76%	48.46%	45.38%
	Portugal	67.97%	61.64%	60.37%	64.17%	65.44%	66.70%	62.91%
XG-Boost	Iran	57.69%	48.46%	48.46%	48.46%	49.23%	48.46%	42.30%
	Portugal	69.24%	67.97%	73.03%	66.70%	66.21%	69.24%	66.70%
Support Vector Machine (RBF Kernel)	Iran	56.15%	49.23%	52.30%	48.46%	53.07%	54.61%	50.76%
	Portugal	69.11%	59.11%	65.44%	60.37%	59.11%	66.70%	62.91%
K-Nearest-Neighbor	Iran	54.61%	42.30%	42.30%	45.38%	43.84%	45.38%	36.92%
	Portugal	75.56%	64.17%	64.17%	65.44%	59.11%	64.91%	62.91%
Random Forest	Iran	54.61%	55.38%	55.38%	56.15%	56.92%	58.46%	51.53%
	Portugal	76.83%	71.77%	75.56%	69.24%	73.03%	76.30%	70.50%
Logistic Regression	Iran	53.07%	44.61%	45.38%	43.07%	43.07%	46.92%	41.53%
	Portugal	69.24%	56.58%	55.31%	52.78%	54.05%	62.91%	59.11%
Decision Tree	Iran	48.46%	38.46%	40.00%	45.38%	44.46%	40.76%	40.76%
	Portugal	56.58%	70.50%	76.83%	66.70%	52.91%	64.17%	56.70%
Naïve Bayes	Iran	46.15%	39.23%	42.30%	41.53%	38.46%	44.61%	43.84%
	Portugal	47.72%	51.51%	57.84%	46.45%	52.78%	55.31%	51.51%

B. SHUFFLE 5-FOLD CROSS-VALIDATION RESULTS

This paper utilizes the shuffle 5-fold cross-validation, which splits the dataset into five subsets and uses one of the five subsets as the test set and the other four subsets as the training set every time and then repeats the hold-out method five times. Table 10 shows the achieved average accuracy results and variance of implementing machine learning models using this type of validation method.

Model	Unbalanced	SMOTE	Borderline SMOTE	Random Over Sampler	SMOTE ENN	SVM SMOTE	SMOTE Tomek
Artificial Neural Network	53.86 ± 6 %	46.46 ± 4 %	44.76 ± 4 %	46.76 ± 2 %	48.00 ± 2 %	67.84 ± 3 %	44.15 ± 2 %
	65.46 ± 5 %	66.04 ± 3 %	67.83 ± 5 %	68.08 ± 3 %	63.52 ± 4 %	69.06 ± 2 %	63.76 ± 2 %
XG-Boost	52.49 ± 5 %	52.92 ± 4 %	54.43 ± 9 %	51.53 ± 3 %	52.76 ± 3 %	72.33 ± 3 %	50.15 ± 3 %
	76.97 ± 5 %	72.64 ± 3 %	73.66 ± 3 %	68.32 ± 4 %	64.28 ± 5 %	70.86 ± 4 %	72.63 ± 2 %
Support Vector Machine	51.72 ± 5 %	46.92 ± 4 %	46.76 ± 4 %	44.61 ± 3 %	47.69 ± 3 %	67.56 ± 2 %	44.30 ± 3 %
	75.89 ± 2 %	65.78 ± 3 %	67.30 ± 3 %	65.51 ± 4 %	67.30 ± 2 %	69.07 ± 3 %	63.49 ± 2 % 38.30 ± 1 %
K-Nearest-Neighbor	51.58 ± 6 %	38.61 ± 3 %	39.38 ± 2 %	42.15 ± 3 %	42.61 ± 1 %	68.70 ± 3 %	62.47 ± 2 %
	73.58 ± 3 %	55.63 ± 4 %	65.02 ± 3 %	70.35 ± 2 %	65.01 ± 3 %	78.82 ± 4 % 73.00 ± 3 %	52.76 ± 1 %
Random Forest	34.93 ± 9 %	55.38 ± 1 %	57.07 ± 0 %	52.46 ± 1 %	52.92 ± 3 %	76.96 ± 2 %	77.97 ± 1 %
	78.19 ± 3 %	77.70 ± 3 %	77.19 ± 2 %	77.46 ± 1 %	42.46 ± 4 %	81.27 ± 2 %	36.46 ± 4 %
Logistic Regression	49.89 ± 5 %	37.69 ± 4 %	37.84 ± 2 %	36.61 ± 3 %	64.00 ± 5 %	59.35 ± 3 %	58.42 ± 3 %
	77.41 ± 3 %	59.70 ± 4 %	64.01 ± 3 %	78.42 ± 2 %	44.61 ± 3 %	64.60 ± 2 %	47.07 ± 2 %
Decision Tree	49.87 ± 5 %	46.71 ± 1 %	44.61 ± 3 %	44.15 ± 1 %	69.32 ± 2 %	67.56 ± 4 %	67.57 ± 5 %
	63.71 ± 1 %	68.06 ± 3 %	72.39 ± 4 %	70.09 ± 3 %	67.56 ± 4 %	67.57 ± 5 %	67.57 ± 5 %
Naïve Bayes	39.37 ± 9 %	33.53 ± 4 %	35.23 ± 5 %	31.76 ± 8 %	33.38 ± 2 %	54.49 ± 4 %	35.69 ± 5 %
	46.03 ± 4 %	43.10 ± 2 %	46.15 ± 4 %	62.94 ± 3 %	48.42 ± 3 %	56.63 ± 2 %	41.07 ± 4 %



C. STATISTICAL TEST RESULTS

Various resampling methods provide different balanced data and classifiers have different performances while using different balanced data. Therefore, it is so hard to find the best resampling method to achieve the best results from machine learning models. Statistical significance tests assist in dealing with the challenge of choosing the best resampling method. As declared, this paper uses the accuracy data collected by shuffle 5-fold cross-validation for each resampling method based on different machine learning models.

Normality assumption should be checked before applying the ANOVA test. The Anderson-Darling normality test results on shuffle 5-fold cross-validation indicate that the p-value is less than 0.05 ($\alpha = 0.05$) for both datasets; therefore, the null hypothesis is rejected, and the ANOVA test cannot be used. Table 11 reveals the results of the Anderson-Darling normality test for both datasets. Since the ANOVA normality assumption is violated, the Friedman test is applied for comparing the resampling methods instead of the ANOVA test in both datasets. Table 12 displays the results of the Friedman test.

TABLE 11. The Anderson-Darling normality test results.

Datasets	Mean	Standard Deviation	Number of samples	P_value
Iran Dataset	48.01 %	10.50 %	48	0.024
Portugal Dataset	66.52 %	8.88 %	48	<0.005

TABLE 12. The Friedman test results.

Datasets	Degrees of freedom	Chi-Square	P-Value
Iran Dataset	5	24.80	0.000
Portugal Dataset	5	11.74	0.039

TABLE 13. Additional information from Friedman test results.

Iran Dataset				Portugal Dataset			
Rank	Resampling Methods	Median	Sum of Ranks	Rank	Resampling Methods	Median	Sum of Ranks
1	SVM SMOTE	66.58	48.0	1	SVM SMOTE	69.56	37.0
2	SMOTE-ENN	46.37	30.5	2	Random Over Sampler	68.50	35.0
3	Borderline-SMOTE	46.05	29.0	3	Borderline-SMOTE	67.11	33.5
4	SMOTE	45.87	28.0	4	SMOTE	65.17	23.0
5	SMOTE-Tomek	44.07	18.0	5	SMOTE-ENN	65.53	21.5
6	Random Over Sampler	44.02	14.5	6	SMOTE-Tomek	64.01	18.0
	Overall	48.83			Overall	66.65	

Table 13 exposes the results of the median and sum of ranks derived from the Friedman test in both datasets. The midpoint of the dataset is named the median. The data points of each resampling method are split equally above and below the midpoint value. Furthermore, the overall median is the midpoint of all data points. Median response for the SVM-SMOTE method is considerably higher than the overall median in both datasets. Moreover, the result of the sum of ranks for the SVM-SMOTE method is better than other resampling methods in both datasets. These results confirm that the SVM-SMOTE method might be more efficient than the other methods.

VII. CONCLUSION

The recent improvements in numerous areas have led to the collection of a considerable amount of data. Today, educational institutions collect information about students. One of the main challenges for these institutions is analyzing and predicting their students' performance. Educational Data mining is a robust analytical method that can be used to discover significant and meaningful knowledge from educational data; however, it can face some difficulties such as imbalanced educational data problems in predicting students' performance.

This study intends to show the effect of imbalanced data problem and find the best resampling method among the different methods of handling the imbalanced data problem, namely Borderline SMOTE, Random Over Sampler, SMOTE, SVM-SMOTE, SMOTE-ENN, and SMOTE-Tomek. It should be noted that two different datasets related to students' performance are used, the difference between multiclass and binary classification, and structures of the features are considered. Several classifiers are applied to inform a better conclusion of resampling methods. All the classifiers are first performed using the random hold-out method on the imbalanced dataset. The results show that classifiers do not have acceptable predictions while imbalanced data, and they cannot predict some of the classes at all. Moreover, the obtained results using different evaluation metrics indicate that the few numbers of classes will lead to better performance with machine learning models. Also, more numeric features help the models to have better performance. Using the random hold-out method on different balanced data generated by various resampling methods determine that the performance of some classifiers is improved, and all the classes are predicted, so the classifiers' performance is satisfactory. Moreover, shuffle 5-fold cross-validation is used to achieve more reliable results with accuracy. The results of this validation method indicate that classifiers have a varying performance on different balanced data for both datasets; therefore, selecting the best resampling method is not easy. However, it seems that classifiers work better on the data balanced by the SVM-SMOTE method in both Iran and Portugal datasets. This paper used the Friedman test to choose the best resampling method. The results of this test confirm that the performance of SVM-SMOTE is better than other resampling methods. Also, the Random Forest model has achieved the best results among other classifiers while using the SVM-SMOTE resampling method.

REFERENCES

- [1] C. Romero and S. Ventura, "Educational data mining: A survey from 1995 to 2005," *Expert Syst. Appl.*, vol. 33, no. 1, pp. 135–146, Jul. 2007.
- [2] R. Ghorbani and R. Ghousi, "Predictive data mining approaches in medical diagnosis: A review of some diseases prediction," *Int. J. Data Netw. Sci.*, vol. 3, no. 2, pp. 47–70, 2019.
- [3] D. Kabakchieva, "Student performance prediction by using data mining classification algorithms," *Int. J. Comput. Sci. Manage. Res.*, vol. 1, no. 4, pp. 686–690, 2012.
- [4] A. I. Adekitan and E. Noma-Osaghae, "Data mining approach to predicting the performance of first year student in a University using the admission requirements," *Educ. Inf. Technol.*, vol. 24, no. 2, pp. 1527–1543, Mar. 2019.
- [5] E. Fernandes, M. Holanda, M. Victorino, V. Borges, R. Carvalho, and G. V. Erven, "Educational data mining: Predictive analysis of academic performance of public school students in the capital of Brazil," *J. Bus. Res.*, vol. 94, pp. 335–343, Jan. 2019.
- [6] R. S. Baker and K. Yacef, "The state of educational data mining in 2009: A review and future visions," *J. Educ. Data Mining*, vol. 1, no. 1, pp. 3–17, 2009.
- [7] E. Chandra and K. Nandhini, "Knowledge mining from student data," *Eur. J. Sci. Res.*, vol. 47, no. 1, pp. 156–163, 2010.
- [8] A. B. El Din Ahmed and I. S. Elaraby, "Data mining: A prediction for student's performance using classification method," *World J. Comput. Appl. Technol.*, vol. 2, no. 2, pp. 43–47, 2014.
- [9] M. M. A. Tair and A. M. El-Halees, "Mining educational data to improve students' performance: A case study,"

Int. J. Inf. Commun. Technol. Res., vol. 2, no. 2, pp. 1–7, 2012.

- [10] H. A. A. Hamza and P. Kommers, “A review of educational data mining tools & techniques,” *Int. J. Educ. Technol. Learn.*, vol. 3, no. 1, pp. 17–23, 2018.
- [11] C. Romero and S. Ventura, “Educational data mining: A review of the state of the art,” *IEEE Trans. Syst., Man, Cybern. C, Appl. Rev.*, vol. 40, no. 6, pp. 601–618, Nov. 2010.
- [12] C. Márquez-Vera, A. Cano, C. Romero, and S. Ventura, “Predicting student failure at school using genetic programming and different data mining approaches with high dimensional and imbalanced data,” *Int. J. Speech Technol.*, vol. 38, no. 3, pp. 315–330, Apr. 2013.
- [13] S. T. Karamouzis and A. Vrettos, “An artificial neural network for predicting student graduation outcomes,” in *Proc. World Congr. Eng. Comput. Sci.*, 2008, pp. 991–994.
- [14] R. M. de Albuquerque, A. A. Bezerra, D. A. de Souza, L. B. P. do Nascimento, J. J. de Mesquita Sá, and J. C. do Nascimento, “Using neural networks to predict the future performance of students,” in *Proc. Int. Symp. Comput. Educ. (SIE)*, Nov. 2015, pp. 109–113.
- [15] S. A. Naser, I. Zaqout, M. A. Ghosh, R. Atallah, and E. Alajrami, “Predicting student performance using artificial neural network: In the faculty of engineering and information technology,” *Int. J. Hybrid Inf. Technol.*, vol. 8, no. 2, pp. 221–228, Feb. 2015.
- [16] T. Devasia, T. P. Vinushree, and V. Hegde, “Prediction of students performance using educational data mining,” in *Proc. Int. Conf. Data Mining Adv. Comput. (SAPIENCE)*, Mar. 2016, pp. 91–95.
- [17] Z. Kovacic, “Early prediction of student success: Mining students’ enrollment data,” in *Proc. Informing Sci. IT Educ. Conf. (InSITE)*, New Zealand, 2010.
- [18] A. Acharya and D. Sinha, “Early prediction of students performance using machine learning techniques,” *Int. J. Comput. Appl.*, vol. 107, no. 1, pp. 37–43, 2014.
- [19] F. Marbouti, H. A. Diefes-Dux, and K. Madhavan, “Models for early prediction of at-risk students in a course using standards-based grading,” *Comput. Educ.*, vol. 103, pp. 1–15, Dec. 2016.
- [20] M. Hlosta, Z. Zdrahal, and J. Zendulka, “Ouroboros: Early identification of at-risk students without models based on legacy data,” in *Proc. 7th Int. Learn. Anal. Knowl. Conf.*, 2017, pp. 6–15.
- [21] V. Kumar and M. L. Garg, “Comparison of machine learning models in student result prediction,” in *Proc. Int. Conf. Adv. Comput. Netw. Inform.* Singapore: Springer, 2019, pp. 439–452.
- [22] D. Kabakchieva, “Predicting student performance by using data mining methods for classification,” *Cybern. Inf. Technol.*, vol. 13, no. 1, pp. 61–72, Mar. 2013.
- [23] P. Cortez and A. M. G. Silva, “Using data mining to predict secondary school student performance,” in *Proc. 5th Annu. Future Bus. Technol. Conf.*, A. Brito and J. Teixeira, Eds. Porto, Portugal: 2008, pp. 5–12.
- [24] M. Hussain, W. Zhu, W. Zhang, S. M. R. Abidi, and S. Ali, “Using machine learning to predict student difficulties from learning session data,” *Artif. Intell. Rev.*, vol. 52, no. 1, pp. 381–407, Jun. 2019.
- [25] Y.-H. Hu, C.-L. Lo, and S.-P. Shih, “Developing early warning systems to predict students’ online learning performance,” *Comput. Hum. Behav.*, vol. 36, pp. 469–478, Jul. 2014.
- [26] A. Mueen, B. Zafar, and U. Manzoor, “Modeling and predicting students’ academic performance using data mining techniques,” *Int. J. Mod. Educ. Comput. Sci.*, vol. 8, no. 11, p. 36, 2016.
- [27] D. Thammasiri, D. Delen, P. Meesad, and N. Kasap, “A critical assessment of imbalanced class distribution problem: The case of predicting freshmen student attrition,” *Expert Syst. Appl.*, vol. 41, no. 2, pp. 321–330, Feb. 2014.
- [28] S. B. Kotsiantis, D. Kanellopoulos, and P. E. Pintelas, “Data preprocessing for supervised learning,” *Int. J. Comput. Sci.*, vol. 1, no. 2, pp. 111–117, 2006.
- [29] R. Longadge and S. Dongre, “Class imbalance problem in data mining review,” 2013, *arXiv:1305.1707*. [Online]. Available: <http://arxiv.org/abs/1305.1707>
- [30] S. Kotsiantis, D. Kanellopoulos, and P. Pintelas, “Handling imbalanced datasets: A review,” *GESTS Int. Trans. Comput. Sci. Eng.*, vol. 30, no. 1, pp. 25–36, 2006.



INNO SPACE
SJIF Scientific Journal Impact Factor

Impact Factor:
7.488

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

 9940 572 462  6381 907 438  ijircce@gmail.com



www.ijircce.com

Scan to save the contact details