IJIRCCE

ISSN(O): 2320-9801

ISSN(P): 2320-9798



International Journal of Innovative Research in Computer and Communication Engineering

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.771

Volume 14, Issue 2, February 2026

© 2026 IJIRCCE | Volume 14, Issue 2, February 2026| DOI:10.15680/IJIRCCE.2026.1402017

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Next-Gen Exam Evaluation: Integrating OMR Accuracy with AI-Powered Assessment and Adaptive Learning

Krish Chaudhari[1], Pratik Pacharne[1], Rohan Shinde[1], Amruta Gangaji[2]

Student, Department of Computer Engineering, RMD Sinhgad School of Engineering, Pune, India[1]

Assistant Professor, Department of Computer Engineering, RMD Sinhgad School of Engineering, Pune, India[2]

ABSTRACT: The automation of exam evaluation has become essential in modern education systems, where large-scale assessments require accuracy, speed, and fairness. Traditional manual and hardware-dependent OMR systems are slow, error-prone, and costly. This paper presents an integrated AI-based evaluation framework that combines Optical Mark Recognition (OMR) with Optical Character Recognition (OCR) and Natural Language Processing (NLP) for automated grading of both objective and handwritten theory answers. Using computer vision techniques with Convolutional Neural Networks (CNN), the system detects marked answers from scanned sheets without specialized hardware. The OCR module converts handwritten responses to digital text, which are then evaluated using NLP-based semantic similarity measures against model answers. A Machine Learning module performs adaptive analysis to identify weak areas and generate personalized feedback. The proposed model ensures accuracy, scalability, and accessibility, aiming to make evaluation faster and more transparent for both educators and students.

KEYWORDS: Optical Mark Recognition, Optical Character Recognition, Natural Language Processing, CNN, AI-Based Evaluation, Adaptive Learning.

I. INTRODUCTION

The evaluation of examinations plays a vital role in education, but traditional manual checking of OMR and handwritten papers is slow, error-prone, and inefficient. With the growing volume of academic and competitive assessments, there is a strong demand for automated, accurate, and scalable evaluation systems. This project introduces an AI-based framework that integrates Optical Mark Recognition (OMR), Optical Character Recognition (OCR), and Natural Language Processing (NLP) to automate both objective and theory answer evaluation. The system uses Convolutional Neural Networks (CNN) and computer vision to detect marked responses from scanned sheets, while the OCR and NLP modules convert handwritten answers into digital text and analyze them conceptually against model responses. Machine learning algorithms further assess student performance and provide adaptive feedback. This approach eliminates manual dependency, reduces evaluation time, and ensures consistent, transparent, and data-driven assessment outcomes suitable for modern educational institutions.

II. LITERATURE SURVEY

Ju et al. [1] presented a Convolutional Neural Network based Optical Mark Recognition system implemented using TensorFlow. The proposed model processes scanned and camera-captured OMR sheets by learning spatial features of marked responses rather than relying on fixed templates. This learning-based approach improves robustness to lighting variations, skew, and noise. Experimental evaluation demonstrated higher accuracy and faster processing compared to traditional threshold-based OMR techniques, indicating suitability for large-scale examination environments. Mistry and Patel [2] proposed an automated paper evaluation framework that integrates Optical Character Recognition and Natural Language Processing techniques for grading descriptive answers. Handwritten responses are extracted using OCR and evaluated by comparing keywords with model answers. The system reduced manual grading effort and produced consistent evaluation outcomes for theory-based assessments. Alam et al. [3] introduced a low-cost OMR system based on computer vision techniques. The method applies grayscale conversion, edge detection, contour analysis, and perspective correction to detect marked bubbles from images captured using mobile cameras. Experimental results demonstrated reliable accuracy with reduced computational cost compared to scanner-based

systems. Rahaman and Mahmud [4] developed a deep learning based framework combining CNN-based OCR and BiLSTM models for handwritten answer evaluation. The system converts handwritten responses into digital text and evaluates them using NLP techniques, achieving over 90% training accuracy and approximately 80% testing accuracy.

Sanchez and Lopez [5] proposed an OpenCV-based OMR evaluation system implemented in Python. Adaptive thresholding and contour detection were used for bubble detection, and a graphical user interface was provided for uploading answer keys and response sheets. The system achieved high accuracy without dedicated OMR hardware.

In the paper "Analysis of OMR Sheet Using Advanced Intelligent Techniques" (2023), the authors proposed an intelligent OMR analysis system using image preprocessing, feature extraction, and machine learning classification. The system employed SVM and CNN models to interpret marked responses. Experimental results showed an accuracy of 66.67% under uncontrolled imaging conditions, validating its robustness. [6]

Srihari and Collins [7] proposed an OCR and NLP-based framework for automatic scoring of short handwritten essays. Semantic similarity techniques were applied to evaluate responses, and the results showed grading consistency comparable to human evaluators. Li et al. [8] introduced a multimodal assessment framework for STEM answer sheets. CNNs were used for diagram analysis, while transformer-based models handled textual understanding. Feature fusion improved grading accuracy compared to single-modal approaches.

Patel and Sharma [9] developed an automated answer evaluation system combining OCR-based text extraction with NLP-based semantic comparison. Cosine similarity was used to measure conceptual similarity, achieving grading accuracy above 85%. Shah and Deshmukh [10] conducted a survey of automated answer sheet evaluation systems covering OMR, OCR, and NLP-based approaches. The study identified CNN and RNN architectures as dominant techniques and highlighted challenges such as handwriting variability and limited datasets.

III. PROPOSED METHODOLOGY

Based on the analysis of existing literature on automated examination evaluation, a consolidated AI-based evaluation methodology is proposed. The methodology integrates Optical Mark Recognition, Optical Character Recognition, Natural Language Processing, and Machine Learning into a unified evaluation pipeline capable of assessing both objective and descriptive answers**.** The proposed methodology is organized into sequential stages to ensure accuracy, scalability, and adaptability.

Input Acquisition

The system accepts two primary inputs:

- Answer key provided by the examiner
- Scanned or camera-captured student answer sheets

Standard scanners or mobile devices are used, eliminating dependency on specialized OMR hardware.

Image Preprocessing

All input images undergo preprocessing to enhance quality and consistency.

- Conversion to grayscale
- Noise removal using filtering techniques
- Skew correction and alignment
- Adaptive thresholding for region enhancement

This stage ensures reliable downstream feature extraction under varying lighting and capture conditions.

OMR-Based Objective Evaluation

For multiple-choice questions, Optical Mark Recognition is applied.

- Answer regions are segmented using contour detection
- A Convolutional Neural Network is employed to learn bubble-fill patterns
- Marked responses are classified by comparing extracted features with the answer key

CNN-based learning improves robustness against partially filled, overfilled, and noisy markings compared to rule-based OMR techniques.

© 2026 IJIRCCE | Volume 14, Issue 2, February 2026| DOI:10.15680/IJIRCCE.2026.1402017

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Handwritten Answer Extraction Using OCR

For descriptive answers, handwritten text is extracted using Optical Character Recognition. • Text regions are segmented into lines and words

- Character-level feature extraction is performed
- Post-processing corrects spelling and formatting inconsistencies

The OCR output is converted into structured digital text for semantic analysis.

Theory Answer Evaluation Using NLP

Natural Language Processing techniques are applied to evaluate extracted text.

- Text cleaning through tokenization and normalization
- Stemming or lemmatization to reduce lexical variations
- Semantic similarity computation between student responses and model answers

Similarity scores are mapped to marks based on predefined grading criteria, enabling concept-level evaluation rather than exact keyword matching.

Performance Analysis and Adaptive Learning

Machine Learning models analyze evaluation results to assess student performance.

- Classification algorithms categorize learners based on performance levels
- Clustering techniques identify common error patterns
- Recommendation models generate personalized feedback and study suggestions This stage supports adaptive learning by highlighting strengths and weaknesses.

Methodology Outcome

The proposed methodology provides an end-to-end, software-driven examination evaluation framework. By integrating OMR, OCR, NLP, and ML techniques, it addresses limitations of traditional evaluation systems and supports accurate, scalable, and adaptive assessment suitable for modern educational environments.

Identified Research Gap	Representative Studies/Topics	Observed Limitations	How Recent Studies Address It
Limited integration of objective and descriptive evaluation	OMR-based MCQ grading systems, OCRbased theory evaluation tools	Existing systems evaluate either MCQs or theory answers independently, lacking a unified assessment pipeline	This review consolidates OMR, OCR, NLP, and ML techniques into a single end-to-end evaluation framework
Hardware dependency in OMR systems	Traditional OMR scanners, template-based OMR methods	High deployment cost, limited flexibility, and performance degradation under skewed or lowquality scans	CNN-based OMR methods enable software-driven evaluation using standard scanners or mobile devices
Handwriting variability in theory evaluation	OCR-based handwritten answer grading systems	OCR accuracy decreases due to diverse handwriting styles, noise, and formatting inconsistencies	Advanced OCR combined with NLP-based semantic analysis improves tolerance to handwriting variability
Keyword-based evaluation methods	Keyword matching and rule-based NLP approaches	Keyword dependency fails to capture conceptual understanding and penalizes semantically correct answers	Semantic similarity models and embedding-based NLP enable concept-level answer evaluation

© 2026 IJIRCCE | Volume 14, Issue 2, February 2026| DOI:10.15680/IJIRCCE.2026.1402017

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

IV. RESULTS & DISCUSSION

Student Dashboard



Teacher Dashboard



The system includes separate dashboards for teachers and students to support AI-based evaluation. Teachers create tests, manage questions, and monitor results, while students take tests and track performance. This setup ensures transparent assessment, centralized control, and structured feedback in real time.

© 2026 IJIRCCE | Volume 14, Issue 2, February 2026| DOI:10.15680/IJIRCCE.2026.1402017

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Proposed Architectural Design



Fig. 1.1 Proposed System Architecture

Data Flow Design



Fig: 1.2 Data Flow Diagram Level 1

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

V. CONCLUSION

The reviewed studies show a clear shift from hardware-based and rule-driven exam evaluation to software-driven, AI-based systems. Traditional OMR scanners and manual grading are being replaced by computer vision, deep learning, and NLP frameworks that run on standard devices, which reduces infrastructure cost and improves flexibility. Research shows Convolutional Neural Networks perform better than classical image processing under uneven lighting, skewed alignment, and low-quality scans, while OCR with semantic analysis evaluates descriptive answers with accuracy close to human grading. Advanced models like BiLSTM, transformers, and multimodal learning improve contextual understanding and grading reliability. Overall, AI-driven examination systems provide a scalable, transparent, and efficient alternative, with future work focusing on robustness, fairness, and real-time deployment.

REFERENCES

[1] Y. Ju, X. Wang, and X. Chen, "Research on OMR Recognition Based on Convolutional Neural Network TensorFlow Platform," in Proc. 11th Int. Conf. Measuring Technology and Mechatronics Automation (ICMTMA), IEEE, 2019, pp. 688–691, doi: 10.1109/ICMTMA.2019.00157.
[2] P. J. Mistry and N. N. Patel, "A Novel Approach – Automatic Paper Evaluation System," Int. Res. J. Eng. Technol. (IRJET), vol. 6, no. 3, pp. 3901–3905, 2019.
[3] Md. E. Alam, F. Akter, T. Alam, S. Farid, Md. I. Haque, and M. Arefin, "Approaching Computer Vision and Image Processing Technique for Optical Mark Recognition Sheet Scan and Verification," Int. J. Eng. Res. Technol. (IJERT), vol. 11, no. 2, pp. 1–6, 2022.
[4] Md. A. Rahaman and H. Mahmud, "Automated Evaluation of Handwritten Answer Script Using Deep Learning Approach," Int. J. Comput. Sci. Inf. Security (IJCSIS), vol. 20, no. 4, pp. 45–52, 2022.
[5] J. Sanchez and A. Lopez, "Automated Multiple-Choice Test Checking System," J. Inf. Syst. Eng. Manage., vol. 7, no. 3, pp. 1–9, 2022.
[6] "Analysis of OMR Sheet Using Advanced Intelligent Techniques," Int. J. Res. Publication Rev., vol. 4, no. 6, pp. 20–27, 2023.
[7] S. Srihari and J. Collins, "Automatic Scoring of Short Handwritten Essays in Reading Assessment," Int. J. Document Anal. Recognit., vol. 26, no. 2, pp. 145–152, 2023.
[8] L. Li, P. Zhao, and M. Zhang, "Automated Assessment of Multimodal Answer Sheets in the STEM Domain," arXiv:2409.15749, 2024.
[9] D. Patel and K. Sharma, "NLP and OCR-Based Automatic Answer Script Evaluation System," Int. J. Comput. Appl., vol. 186, no. 42, pp. 1–7, 2024.
[10] A. Shah and P. Deshmukh, "Survey on Automated Answer Sheet Evaluation and Recognition," Int. J. Novel Res. Dev. (IJNRD), vol. 9, no. 6, pp. 145–151, 2024.

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

INNO SPACE SJIF Scientific Journal Impact Factor

doi cross ref

निस्केयर NISCAIR

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

9940 572 462 6381 907 438 ijircce@gmail.com

www.ijircce.com

Scan to save the contact details