



ISSN(Online): 2320-9801
ISSN (Print) : 2320-9798

International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijircce.com

Vol. 6, Issue 1, January 2018

Stock Market Prediction in BSE Using Long Short-Term Memory (LSTM) Algorithm

Dr. Vijay Reddy Madireddy

Assistant Professor, Swami Ramananda Tirtha Institute of Science and Technology, Nalgonda, India

ABSTRACT: The speciality of determining stock prices has been a troublesome task for many researchers and examiners. Indeed, financial specialists are profoundly intrigued by the examination region of stock value prediction. For decent and useful speculation, numerous speculators are sharp in knowing the stock market's future circumstance. Tremendous and powerful prediction frameworks for stock market help dealers, speculators, and experts give vital data like the stock market's future heading. This work presents a recurrent neural network (RNN) and Long Short-Term Memory (LSTM) way to deal with anticipated stock market files.

KEYWORDS: Artificial Neural Network, Stock market, Prediction, LSTM

I. INTRODUCTION

Stock market trade gives the moment results about the offer and occasions identified with international business exhibitions about offer markets. New developments may decide based on specialized investigation, such as a company's graphs, market records, and literary data, such as papers or news-conveying, etc. It is hard for clients to break down and stock patterns as per these data, and in this popularity circumstance prediction of the stock market has been a significant issue. For that May, researchers and educators and researchers gave numerous arrangements, yet exactness will be less thus for that Machine Learning Algorithms will be taken to tackle this problem[1]. In this paper Machine Learning algorithms like LSTM and ANN and Sequential will be taken to foresee the company stock by playing out this prediction algorithm we can limit the risk of the financial specialist and amplify the company's profit. Recurrent neural networks (RNN) have demonstrated perhaps the most remarkable models for preparing consecutive information. Long Short-Term memory is quite possibly the best RNNs structures. LSTM presents the memory cell, a computation unit that replaces customary artificial neurons in the concealed layer of the network. With these memory cells, networks can viably relate recollections and information distant as expected, henceforth suit to handle the structure of data progressively after some time with high prediction limit[2]. The limit of ANN to take in and summarize from the non-straight data design is suitable to give space, for instance, monetary trade assumption. Likewise, the LSTM can adjust to the data and association between the data and output, achieving favoured assumption precision over the conventional strategy.

II. METHODOLOGY

2.1 Information Gathering And Processing

In this, we can gather the informational index from organizations like APPLE, GOOGLE, AMAZON, VIX, and YAHOO. It comprises informational index ascribes of a specific company and past stock rates and speculators' increment rate and company development rate[3]. A portion of the properties may take like min value, max value, volume, benefit rate, pay, share the cost, and so forth, The fundamental values will be taken from that to predict the analysis[4].

International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijirce.com

Vol. 6, Issue 1, January 2018



Fig. 1 - Flow Chart For Stock Market

2.2 Long Short Term Memory (Lstm)

This paper's neural network model was utilized and Long Short Term Memory (LSTM) which is a kind of Sequential and ANN[5]. A Sequential is likewise a kind of neural network model with many types of a straightforward neural network structure, and it has continued in circles that can move between various states state at the season of making neural network structure exceptionally simple



Fig.2 - LSTM Prediction model

In this one of the significant and enormous downside is the time arrangement of the consecutive algorithm. It comprises exceptionally massive data and long-period data dependent on dependencies of the dataset it has taken. Here, it is utilized t interface the different types of the characteristic factors will be taken. LSTM is also a Sequential, which is fit for learning or taking long-term dependencies[6].

A typical design of LSTM has contained an input gate, an output gate, a forget gate and a memory cell. The hidden layers are momentarily portrayed beneath:

Cell:

Here in this, we can store each state's estimation, and specific time-frame and expansion and cancellation of the specific cells will be produced.



International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijircce.com

Vol. 6, Issue 1, January 2018

Input Gate:

In this, we can take the input design that can handle every cell's advantage level at which it can stream into the cell. Input capacity will be taken.

Forget Gate:

Here we can handle the cell's degree elements and if the worth remaining parts same in those cells and it has sigmoid enactment.

Output Gate:

In this gate, it can handle the cell's upper degree value, and it is determined the input and output of the LSTM cells.

Here, we can run the sigmoid layer with a piece of every cell that has experienced its output when it can get all cells and states through the tire, and it can duplicate by its own and by the output capacity of sigmoid too[7]. Here, just output parts are the gradient; the insightful component square is determined through current circumstance. Here the outstanding is going towards the normal of the first moment M_t and second request moment V_t .

Proposed Method

In this correlation of the algorithms like LSTM and Sequential Neural Network model, the Stock Prediction output utilizing LSTM will be characterized. By playing out the LSTM prediction algorithm, we would first prepare the data sets that are taking from various stores, and we can prepare the model first[8]. Sequential Neural Network, Connectionist techniques are comparable for ML, where the characterization of every data will be changed show of a framework[9]. These heaps show the effect of the past centre point, on the accompanying centre, where positive burdens address uphold negative burdens address restriction for the most part the hidden affiliation loads are not picked. Here the data layer comprises numerous sources that can accumulate the data from numerous sources and offer it to the framework[10]. The beneath data layer will be on the widely appealing layer, and it tends to be generally called a hid layer. This hidden layer will point by the yield layer, and here the result of the data layer will be refined.




Fig.3- Daily returns of each company

In this the proposed procedure is LSTM, and in this, we can take various kinds of datasets[11], from the archive and first we can prepare the algorithm with the data accessibility so the model can comprehend the input and



ISSN(Online): 2320-9801
ISSN (Print) : 2320-9798

International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijircce.com

Vol. 6, Issue 1, January 2018

outputs of it[12]. Later on, we can give the input design with date and friends name as a string to get the output.

III. CONCLUSION

To improve the LSTM algorithm's accuracy and play out the output analysis of the given dataset. Both ANN and LSTM will give better accuracy by utilizing LSTM to get the given model's specific consequence. LSTM is the best foreseeing algorithm for given datasets engineering and can be contrasted with all the algorithms universally and versatile innovation and dependent on given anticipated values and prepared values it gave the output. By, including the LSTM and ANN algorithm LSTM will give the better accuracy and here ANN will give the accuracy of 94% yet after performing the LSTM algorithm, we will get 97% accuracy.

REFERENCES

- [1]. Adithya Vuppula, "OPTIMIZATION OF DATA MINING AND THE ROLE OF BIG DATA ANALYTICS IN SDN AND INTRADATA CENTER NETWORKS" International Journal of Scientific Development and Research (IJS DR), Volume 1 Issue 4, April 2016.
- [2]. Kola Vasista, "ROLE OF A STOCK EXCHANGE IN BUYING AND SELLING SHARES", International Journal of Current Science (IJCS PUB), Volume 12, Issue 1, ISSN: 2250-1770.
- [3]. I. Ahmad and K. Pothuganti, "Smart Field Monitoring using ToxTrac: A Cyber-Physical System Approach in Agriculture," International Conference on Smart Electronics and Communication (ICOSEC), pp. 723-727, doi: 10.1109/ICOSEC49089.2020.9215282.
- [4]. Satya Nagendra Prasad Polaju, "An Overview on Cloud Computing Technologies", International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol. 4, Issue 10, October 2015.
- [5]. Ramana, solleti, "A Two-Level Authentication Protocol for Secure M-Commerce Transactions using AMQP Protocol – Design Engineering, Issue: 6, ISSN Number 0011-9342
URL:<http://www.thedesignengineering.com/index.php/DE/article/view/2047>
- [6]. Peddyreddy. Swathi. A Study On The Restrictions Of Deep Learning. Journal of Artificial Intelligence, Machine Learning and Neural Network (JAIMLNN) ISSN: 2799-1172, 2(02), 57–61. Retrieved from <http://journal.hmjournals.com/index.php/JAIMLNN/article/view/444>
- [7]. Kola Vasista, "TYPES AND RISKS INVOLVED TOWARDS INVESTING IN MUTUAL FUNDS", International Journal of Current Science (IJCS PUB), Volume 12, Issue 1, ISSN: 2250-1770.
- [8]. Peddyreddy. Swathi. Industry Applications of Augmented Reality and Virtual Reality. Journal of Environmental Impact and Management Policy (JEIMP) ISSN:2799-113X, 2(02), 7–11. Retrieved from <http://journal.hmjournals.com/index.php/JEIMP/article/view/453>
- [9]. Satya Nagendra Prasad Polaju, "DATA MINING AS A SUPPORT FOR BUSINESS INTELLIGENCE APPLICATIONS TO BIG DATA", International Journal of Creative Research Thoughts (IJCRT), Volume 7, Issue 2.
- [10]. S. Ramana, S. C. Ramu, N. Bhaskar, M. V. R. Murthy and C. R. K. Reddy, "A Three-Level Gateway protocol for secure M-Commerce Transactions using Encrypted OTP," International Conference on Applied Artificial Intelligence and Computing (ICAAIC), pp. 1408-1416, doi: 10.1109/ICAAIC53929.2022.9792908.
- [11]. K. Pothuganti, B. Sridevi and P. Seshabattar, "IoT and Deep Learning based Smart Greenhouse Disease Prediction," International Conference on Recent Trends on Electronics, Information, Communication & Technology (RTEICT), pp. 793-799, doi: 10.1109/RTEICT52294.2021.9573794.
- [12]. Peddyreddy. Swathi. Implications For Research In Artificial Intelligence. Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM) ISSN : 2799-1156, 2(02), 25–28. Retrieved from <http://journal.hmjournals.com/index.php/JECNAM/article/view/447>



ISSN(Online): 2320-9801
ISSN (Print) : 2320-9798

International Journal of Innovative Research in Computer and Communication Engineering

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Website: www.ijircce.com

Vol. 6, Issue 1, January 2018

- [13]. Adithya Vuppula, "A Study on Minnesota Intrusion Detection System (Minds)" International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET), Volume 1, Issue 1, November.
- [14]. Kola Vasista, "A REVIEW ON THE VARIOUS OPTIONS AVAILABLE FOR INVESTMENT", International Journal of Creative Research Thoughts (IJCRT), Volume 7, Issue 2, ISSN: 2320-2882.
- [15]. Satya Nagendra Prasad Poloju, "BIG DATA ANALYTICS: DATA PRE-PROCESSING, TRANSFORMATION AND CURATION", International Journal of Creative Research Thoughts (IJCRT), Volume 5, Issue 2, 2017
- [16]. Kola Vasista, "Regulatory Compliance and Supervision of Artificial Intelligence, Machine Learning and Also Possible Effects on Financial Institutions", International Journal of Innovative Research in Computer and Communication Engineering, Volume 9, Issue 6, June .
- [17]. K. Pothuganti, B. Sridevi and P. Seshabattar, "IoT and Deep Learning based Smart Greenhouse Disease Prediction," International Conference on Recent Trends on Electronics, Information, Communication & Technology (RTEICT), pp. 793-799, doi: 10.1109/RTEICT52294.2021.9573794.
- [18]. Adithya Vuppula, "EFFICIENCY AND SCALABILITY OF DATA MINING ALGORITHMS", International Journal of Scientific Development and Research (IJS DR), Volume 4 Issue 9, September 201.
- [19]. Kola Vasista, "Scope for the Usage of Ai and Machine Learning in Portfolio Management and Possible Effects on Consumers and Investors", International Journal of Innovative Research in Science, Engineering and Technology, Vol. 5, Issue 2, February 2016
- [20]. Ramana, solleti, A Two-Level Protocol for Secure Transmission of Image using IOT Enabled devices Webology, Volume 18, Issue 5, ISSN Number: 1735-188X
URL: <https://www.webology.org/abstract.php?id=2194>
- [21]. Satya Nagendra Prasad Poloju, "Privacy-Preserving Classification of Big Data", International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol. 2, Issue 4, April 2013.
- [22]. Adithya Vuppula, "Integrating Data Mining with Cloud using Four Levels of Data Mining Services" International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET), ISSN: 2582-7219, Volume 4, Issue 5, May 202.
- [23]. Satya Nagendra Prasad Poloju. "Relevant Technologies of Cloud Computing System". International Journal of Engineering Research and Applications, ISSN: 2248-9622, Vol. 4, Issue 4, (Version-3) April 2014, pp. 74-78
- [24]. Ramana, solleti, "A Two-Level Authentication Protocol for Secure M-Commerce Transactions using Encrypted OTP– International Journal of Mechanical Engineering, Volume 7, Issue: 3, ISSN Number 0974-5823